


INNOVATIVE CABINET TECHNOLOGIES



• stability • performance • durable • robust



www.kalteselektrik.com.tr

SUSTAINABLE SUCCESS

INDEX

Free Standing Enclosures	5-28
Accessories	29-41
Wallmount Enclosures	42-56
Accessories	57-62
Wallmount Enclosures Modular Type	64-65
Semi Modular Type	66-67
Accessories	68-69
Fuse Boxes	70-71
Piano Type	72
Rack Cabinets	73-77



WORLD-CLASS CABINETS...

PRODUCTION FACILITY

Kaltes, has a modern facility which established in 5500m2 closed area and equipped with the latest technology production equipments. In addition to production line, Kaltes is managing by expert team with ISO9001, ISO14001 and ISO45001 environment and quality management certified professional management system.

Kaltes focused on production plan, in order to materialize the customer demand professionally with its qualified and competent staff. Kaltes executes technical drawings and graphics by prestudy prior planning each manufacture stage where from ordering up to delivery. With this production plan, the products are systematically processed so that the delivery can be achieved precisely in time.


It is our essential principle to manufacture flawless products for the customers. Ranging from smallest scale products up to the complicated ones, we manufacture the best quality with our competent staff and our facility equipped with cutting edge technology.

Customer orders are tested several times during manufacturing process and after assembly process. The products are examined down to the last detail in order to restore probable mistakes in advance and to avoid any malfunction.



PAINTING SECTION

Our painting section is one of the important section in our facility. The painting process is particularly important due to ensure the products long lasting and durability. The surface of the products clean by plaforisation system which exist only 3 facilities in Turkey and 450 in all over the world. This system redound the paint quality of the products and also eco-frinedly. After surface cleaning process, the products heat up around 160C to increase the holding percentage and quality of powder coat in the owen and pass to powder coating section. After powder coating section products pass to owen agian to heat up around 200C and get ready for assembly.



SURFACE CLEANING - PLAFORIZATION

Before any metal can have any coating applied, it must be thoroughly cleaned to remove surface oils and other contaminates that would mar the powder coating. Conventional methods of cleaning generally use multiple hot water rinses or are treated with iron phosphates (mainly used as an ingredient in garden pesticides.)

As a result, harmful runoff is produced, which has to be drained into a holding tank, or worse yet, the sewer.

A specialized process called plaforization provides a simple, disposal-free solution for pre-treating metal. There is no water rinse involved, so no wastewater is produced. This organic pretreatment system is a truly one-step process to clean, passivate and seal metal surfaces before applying a topcoat.

The plaforization process is conducted with low vapor pressure, emitting virtually no VOCs. There is no water rinse involved, so no wastewater is produced. No sludge is created; nothing is added to a landfill. The process contains no halogenated compounds, ozone-depleting compounds, carcinogens, mutagens, or hazardous air pollutants.

Plaforization is one more step in the on going quest to create a remarkably durable product that can withstand the elements and still promote a healthy environment. This special system exists only at 3 facilities in Turkey and 450 in all over the world is widely acclaimed as eco-friendly by means of its chemicals which does not harm the enviroment.

POWDER COATING

Powder coating has become more popular while its technology has been enchanced since its first usage. Nevertheless, a qualified facility is a must for a good result. As Kaltes, we evaluate many parameters while we select the most convenient spraying method. Namely, we consider the many factors such as the propertieess of the plate, the frequency of color change and finishing quality etc.






TYPE TESTED DISTRIBUTION BOARDS

We provide main distribution boards which are suitable for the applications up to 6300 ampere range and the structure from FORM 1 up to FORM 4b according to IEC 61439-1/2.

In addition to the main bare applications which are higher than 6300 ampere, the synchronisation boards, coupling boards and main distribution boards are designed to be independent of switchgear brands.

In addition to our standard products, we provide special solutions for every need according to various ambient conditions in different kind of projects.



FREE STANDING ENCLOSURES

- Indoor Type (IP41/IP55) IK10
- Modular Outdoor Type (IP55) | IK10
- Double Door (IP41/IP55) | IK10
- Welded Type (IP65) | IK10

FREE STANDING ENCLOSURES

Indoor Type (IP41/IP55) IK10

Outdoor Type (IP55) IK10



FREE STANDING ENCLOSURES

Indoor Type (IP41/IP55) IK10

Outdoor Type (IP55) IK10

Two different enclosure versions are available in the mild steel range :

Fully modular type enclosures, which allows for combining two or more enclosures together and save space for transportation.

Compact, welded type for high IP rating outdoor applications.

The enclosures in the free standing mild steel range, with single or double door versions, are epoxy polyeser coated in light grey, RAL 7035. Corrosion resistance is guaranteed by salt spray tests conducted internally according to the standart ASTM B117:11.

The enclosures are typically used for machine control panels, automation and control of manufacturing lines, power and distribution panels

Special design corner parts and frame makes the enclosure strong and rigid and thus well studied for heavy duty applications. A wide range of accessories are available to allow for any configuration. And, since all enclosure versions are designed around the same platform, the same accessories may be used on all versions, which makes engineering easier and allows for stock reduction with panel builders and distributors.

Robust Profiles and Corner Parts :

The patented corner parts are joined with 7 times bended upright profiles. With this combination, a single unit enclosure can carry up to 2 tones loaded

User Friendly :

Doors as well as the rear, bottom, top and side panels can be easily removed. This allows easy access for cabling and/or mounting of interior components, plus simplified drilling and hole-making.

Superior Finish :

In the mild steel line, the finish of the welds and paint cover is extra high quality. This eliminates the risk of damage after transportation and/or in the workshop.

Tailored Solutions :

Customers can build their own configuration by using combinable standard modules.

FREE STANDING ENCLOSURES

Indoor Type (IP41/IP55) | IK10



PAINT : RAL7035W Electrostatic Powder Coating (Salt spray test up to 600 hours)
C5M paint optional

GASKET : Poliuretán Liquid Gasket

PROTECTION : IP41/IP55 - IK10

AVAILABLE DIMENSIONS :

Width : 400-800mm / Height : 1600-2200 mm / Depth : 400-800 mm
Height dimensions includes 100 mm floorbase (plinth)

DOOR : Rod Latch Lock Systems and Concealed Hinge
Front door can be open up to 105° - 3 point locking system.

MATERIAL:

Cargass : 1,5 mm galvanized steel.
Door : 2 mm painted steel
Rear, roof and side panels : 1,2 mm painted steel
Mounting Plate : 2mm galvanized steel
Internal Parts: 1,5 mm galvanized steel
Bottom Plates : 1,2 mm galvanized steel
Base Corner: 2,0 mm Painted steel

SIDE PANELS :

Supplied as an accessory

ROOF PANEL : Removable

LOCK : Espagnolette 3-points locking system.

BOTTOM PLATES : Consists of three pieces.

MOUNTING PLATE : Supplied as an accessory with multiple size options

EARTHING : All panels are earthed through their fittings and are equipped with a separate earthing stud.

CERTIFICATES : CE, IEC,TSE,ISO,GOST,SEISMIC

DELIVERY : Frame with fitted door, rear panel, roof panel, bottom plates. Delivery also includes earthing bolts.
Package includes two CMB profiles mounted in depth. All packing material is recyclable. Delivery will be in cartoon boxes combined in pallets.

FREE STANDING ENCLOSURES

Double Door (IP41/IP55) | IK10



FREE STANDING ENCLOSURES

Double Door (IP41/IP55) | IK10

PAINT : RAL7035W Electrostatic Powder Coating (Salt spray test up to 600 hours)
C5M paint optional

GASKET : Poliuretano Liquid Gasket

PROTECTION : IP41/IP55 (Double Door) - IK10

AVAILABLE DIMENSIONS :

Width : 1000-1200mm / Height : 1600-2200 mm / Depth : 400-800 mm
Height dimensions includes 100 mm floorbase (plinth)

DOOR : Rod Latch Lock Systems and Concealed Hinge
Front door can be open up to 105° - 3 point locking system.

MATERIAL:

Cargass : 1,5 mm galvanized steel.
Door : 2 mm painted steel
Rear, roof and side panels : 1,2 mm painted steel
Mounting Plate : 2mm galvanized steel
Internal Parts: 1,5 mm galvanized steel
Bottom Plates : 1,2 mm galvanized steel
Base Corner: 2,0 mm Painted steel

SIDE PANELS:

Supplied as an accessory

ROOF PANEL : Removable

LOCK : Espagnolette 3-points locking system.

BOTTOM PLATES : Consists of three pieces.

MOUNTING PLATE : Supplied as an accessory with multiple size options

EARTHING : All panels are earthed through their fittings and are equipped with a separate earthing stud.

CERTIFICATES : CE, IEC,TSE,ISO,GOST,SEISMIC

DELIVERY : Frame with fitted door, rear panel, roof panel, bottom plates. Delivery also includes earthing bolts.
Package includes two CMB profiles mounted in depth. All packing material is recyclable. Delivery will be in cartoon boxes combined in pallets.

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Indoor Type (IP41) | IK10

IP41

Mounting Profiles	Bottom Cover	Side Supports	Plint Corners h:100 (mm)	Plint h:100 (mm)		Plint Corners h:200 (mm)	Plint h:200 (mm)	
				Front/Rear	Side		Front/Rear	Side
SET-D-LC0135	SET-D-BC4040	SET-D-RS4000	SET-D-BC0100	SET-D-BS4100	SET-D-BS4100	SET-D-BC0200	SET-D-BS4200	SET-D-BS4200
	SET-D-BC5040			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6040			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7040			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8040			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10040			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12040	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4050	SET-D-RS5000		SET-D-BS4100	SET-D-BS5100		SET-D-BS4200	SET-D-BS5200
	SET-D-BC5050			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6050			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7050			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8050			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10050			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12050	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4060	SET-D-RS6000		SET-D-BS4100	SET-D-BS6100		SET-D-BS4200	SET-D-BS6200
	SET-D-BC5060			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6060			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7060			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8060			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10060			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12060	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4080	SET-D-RS8000		SET-D-BS4100	SET-D-BS8100		SET-D-BS4200	SET-D-BS8200
	SET-D-BC5080			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6080			SET-D-BS6100			SET-D-BS6200	
SET-D-BC7080	SET-D-BS7100		SET-D-BS7200					
SET-D-BC8080	SET-D-BS8100		SET-D-BS8200					
SET-D-BC10080	SET-D-BS10100		SET-D-BS10200					
SET-D-BC12080	SET-D-BS12100	SET-D-BS12200						
SET-D-LC0155	SET-D-BC4040	SET-D-RS4000	SET-D-BC0100	SET-D-BS4100	SET-D-BS4100	SET-D-BC0200	SET-D-BS4200	SET-D-BS4200
	SET-D-BC5040			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6040			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7040			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8040			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10040			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12040	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4050	SET-D-RS5000		SET-D-BS4100	SET-D-BS5100		SET-D-BS4200	SET-D-BS5200
	SET-D-BC5050			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6050			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7050			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8050			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10050			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12050	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4060	SET-D-RS6000		SET-D-BS4100	SET-D-BS6100		SET-D-BS4200	SET-D-BS6200
	SET-D-BC5060			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6060			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7060			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8060			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10060			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12060	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4080	SET-D-RS8000		SET-D-BS4100	SET-D-BS8100		SET-D-BS4200	SET-D-BS8200
	SET-D-BC5080			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6080			SET-D-BS6100			SET-D-BS6200	
SET-D-BC7080	SET-D-BS7100		SET-D-BS7200					
SET-D-BC8080	SET-D-BS8100		SET-D-BS8200					
SET-D-BC10080	SET-D-BS10100		SET-D-BS10200					
SET-D-BC12080	SET-D-BS12100	SET-D-BS12200						
SET-D-LC0175	SET-D-BC4040	SET-D-RS4000	SET-D-BC0100	SET-D-BS4100	SET-D-BS4100	SET-D-BC0200	SET-D-BS4200	SET-D-BS4200
	SET-D-BC5040			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6040			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7040			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8040			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10040			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12040	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4050	SET-D-RS5000		SET-D-BS4100	SET-D-BS5100		SET-D-BS4200	SET-D-BS5200
	SET-D-BC5050			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6050			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7050			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8050			SET-D-BS8100			SET-D-BS8200	
SET-D-BC10050	SET-D-BS10100		SET-D-BS10200					
SET-D-BC12050	SET-D-BS12100	SET-D-BS12200						

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Indoor Type (IP41) | IK10

IP41

Mounting Profiles	Bottom Cover	Side Supports	Plint Corners h:100 (mm)	Plint h:100 (mm)		Plint Corners h:200 (mm)	Plint h:200 (mm)	
				Front/Rear	Side		Front/Rear	Side
SET-D-LC0175	SET-D-BC4060	SET-D-RS6000	SET-D-BC0100	SET-D-BS4100	SET-D-BS6100	SET-D-BC0200	SET-D-BS4200	SET-D-BS6200
	SET-D-BC5060			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6060			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7060			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8060			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10060			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12060	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4080	SET-D-RS8000		SET-D-BS4100	SET-D-BS8100		SET-D-BS4200	SET-D-BS8200
	SET-D-BC5080			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6080			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7080			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8080			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10080			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12080			SET-D-BS12100			SET-D-BS12200	
SET-D-BC4040	SET-D-RS4000		SET-D-BS4100	SET-D-BS4100		SET-D-BS4200	SET-D-BS4200	
SET-D-BC5040		SET-D-BS5100	SET-D-BS5200					
SET-D-BC6040		SET-D-BS6100	SET-D-BS6200					
SET-D-BC7040		SET-D-BS7100	SET-D-BS7200					
SET-D-BC8040		SET-D-BS8100	SET-D-BS8200					
SET-D-BC10040		SET-D-BS10100	SET-D-BS10200					
SET-D-BC12040	SET-D-BS12100	SET-D-BS12200						
SET-D-LC0185	SET-D-BC4050	SET-D-RS5000	SET-D-BS4100	SET-D-BS5100	SET-D-BC0200	SET-D-BS4200	SET-D-BS5200	
	SET-D-BC5050		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6050		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7050		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8050		SET-D-BS8100			SET-D-BS8200		
	SET-D-BC10050		SET-D-BS10100			SET-D-BS10200		
	SET-D-BC12050	SET-D-BS12100	SET-D-BS12200					
	SET-D-BC4060	SET-D-RS6000	SET-D-BS4100	SET-D-BS6100		SET-D-BS4200	SET-D-BS6200	
	SET-D-BC5060		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6060		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7060		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8060		SET-D-BS8100			SET-D-BS8200		
	SET-D-BC10060		SET-D-BS10100			SET-D-BS10200		
	SET-D-BC12060		SET-D-BS12100			SET-D-BS12200		
SET-D-BC4080	SET-D-RS8000		SET-D-BS4100		SET-D-BS8100	SET-D-BS4200		SET-D-BS8200
SET-D-BC5080		SET-D-BS5100	SET-D-BS5200					
SET-D-BC6080		SET-D-BS6100	SET-D-BS6200					
SET-D-BC7080		SET-D-BS7100	SET-D-BS7200					
SET-D-BC8080		SET-D-BS8100	SET-D-BS8200					
SET-D-BC10080		SET-D-BS10100	SET-D-BS10200					
SET-D-BC12080		SET-D-BS12100	SET-D-BS12200					
SET-D-LC0195		SET-D-BC4040	SET-D-RS4000	SET-D-BS4100		SET-D-BS4100	SET-D-BC0200	
	SET-D-BC5040	SET-D-BS5100		SET-D-BS5200				
	SET-D-BC6040	SET-D-BS6100		SET-D-BS6200				
	SET-D-BC7040	SET-D-BS7100		SET-D-BS7200				
	SET-D-BC8040	SET-D-BS8100		SET-D-BS8200				
	SET-D-BC10040	SET-D-BS10100		SET-D-BS10200				
	SET-D-BC12040	SET-D-BS12100	SET-D-BS12200					
	SET-D-BC4050	SET-D-RS5000	SET-D-BS4100	SET-D-BS5100	SET-D-BS4200	SET-D-BS5200		
	SET-D-BC5050		SET-D-BS5100		SET-D-BS5200			
	SET-D-BC6050		SET-D-BS6100		SET-D-BS6200			
	SET-D-BC7050		SET-D-BS7100		SET-D-BS7200			
	SET-D-BC8050		SET-D-BS8100		SET-D-BS8200			
	SET-D-BC10050		SET-D-BS10100		SET-D-BS10200			
	SET-D-BC12050		SET-D-BS12100		SET-D-BS12200			
SET-D-BC4060	SET-D-RS6000		SET-D-BS4100		SET-D-BS6100		SET-D-BS4200	SET-D-BS6200
SET-D-BC5060		SET-D-BS5100	SET-D-BS5200					
SET-D-BC6060		SET-D-BS6100	SET-D-BS6200					
SET-D-BC7060		SET-D-BS7100	SET-D-BS7200					
SET-D-BC8060		SET-D-BS8100	SET-D-BS8200					
SET-D-BC10060		SET-D-BS10100	SET-D-BS10200					
SET-D-BC12060		SET-D-BS12100	SET-D-BS12200					
SET-D-BC4080		SET-D-RS8000	SET-D-BS4100	SET-D-BS8100		SET-D-BS4200	SET-D-BS8200	
SET-D-BC5080	SET-D-BS5100		SET-D-BS5200					
SET-D-BC6080	SET-D-BS6100		SET-D-BS6200					
SET-D-BC7080	SET-D-BS7100		SET-D-BS7200					
SET-D-BC8080	SET-D-BS8100		SET-D-BS8200					
SET-D-BC10080	SET-D-BS10100		SET-D-BS10200					
SET-D-BC12080	SET-D-BS12100		SET-D-BS12200					

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

IP55

Indoor Type (IP55) | IK10

Product Code	Dimensions			Blind Door	Glazed Door	Rear Panel	Side Panel	Top Cover	Mounting Plate	MP usable dimensions		
	W(mm)	H(mm)	D(mm)							W(mm)	H(mm)	
SET-D-FH4164	400	1600	400	SET-D-FD4160	-	SET-D-SPX4160	SET-D-SPX4160	SET-D-TCX4040	SET-D-TS4135	340	1350	
SET-D-FH5164	500			SET-D-FD5160	SET-D-GD5160	SET-D-SPX5160		SET-D-TCX5040	SET-D-TS5135	440		
SET-D-FH6164	600			SET-D-FD6160	SET-D-GD6160	SET-D-SPX6160		SET-D-TCX6040	SET-D-TS6135	540		
SET-D-FH7164	700			SET-D-FD7160	SET-D-GD7160	SET-D-SPX7160		SET-D-TCX7040	SET-D-TS7135	640		
SET-D-FH8164	800			SET-D-FD8160	SET-D-GD8160	SET-D-SPX8160		SET-D-TCX8040	SET-D-TS8135	740		
SET-D-DD10164	1000			SET-D-FD10160	-	SET-D-SPX10160		SET-D-TCX10040	SET-D-TS10135	940		
SET-D-DD12164	1200		SET-D-FD12160	-	SET-D-SPX12160	SET-D-TCX12040	SET-D-TS12135	1140				
SET-D-FH4165	400		1600	500	SET-D-FD4160	-	SET-D-SPX4160	SET-D-SPX5160	SET-D-TCX4050	SET-D-TS4135		340
SET-D-FH5165	500				SET-D-FD5160	SET-D-GD5160	SET-D-SPX5160		SET-D-TCX5050	SET-D-TS5135		440
SET-D-FH6165	600				SET-D-FD6160	SET-D-GD6160	SET-D-SPX6160		SET-D-TCX6050	SET-D-TS6135		540
SET-D-FH7165	700				SET-D-FD7160	SET-D-GD7160	SET-D-SPX7160		SET-D-TCX7050	SET-D-TS7135		640
SET-D-FH8165	800				SET-D-FD8160	SET-D-GD8160	SET-D-SPX8160		SET-D-TCX8050	SET-D-TS8135		740
SET-D-DD10165	1000	SET-D-FD10160			-	SET-D-SPX10160	SET-D-TCX10050		SET-D-TS10135	940		
SET-D-DD12165	1200	SET-D-FD12160		-	SET-D-SPX12160	SET-D-TCX12050	SET-D-TS12135	1140				
SET-D-FH4166	400	1600		600	SET-D-FD4160	-	SET-D-SPX4160	SET-D-SPX6160	SET-D-TCX4060	SET-D-TS4135	340	
SET-D-FH5166	500				SET-D-FD5160	SET-D-GD5160	SET-D-SPX5160		SET-D-TCX5060	SET-D-TS5135	440	
SET-D-FH6166	600				SET-D-FD6160	SET-D-GD6160	SET-D-SPX6160		SET-D-TCX6060	SET-D-TS6135	540	
SET-D-FH7166	700				SET-D-FD7160	SET-D-GD7160	SET-D-SPX7160		SET-D-TCX7060	SET-D-TS7135	640	
SET-D-FH8166	800				SET-D-FD8160	SET-D-GD8160	SET-D-SPX8160		SET-D-TCX8060	SET-D-TS8135	740	
SET-D-DD10166	1000		SET-D-FD10160		-	SET-D-SPX10160	SET-D-TCX10060		SET-D-TS10135	940		
SET-D-DD12166	1200		SET-D-FD12160	-	SET-D-SPX12160	SET-D-TCX12060	SET-D-TS12135	1140				
SET-D-FH4168	400		1600	800	SET-D-FD4160	-	SET-D-SPX4160	SET-D-SPX8160	SET-D-TCX4080	SET-D-TS4135	340	
SET-D-FH5168	500				SET-D-FD5160	SET-D-GD5160	SET-D-SPX5160		SET-D-TCX5080	SET-D-TS5135	440	
SET-D-FH6168	600				SET-D-FD6160	SET-D-GD6160	SET-D-SPX6160		SET-D-TCX6080	SET-D-TS6135	540	
SET-D-FH7168	700				SET-D-FD7160	SET-D-GD7160	SET-D-SPX7160		SET-D-TCX7080	SET-D-TS7135	640	
SET-D-FH8168	800				SET-D-FD8160	SET-D-GD8160	SET-D-SPX8160		SET-D-TCX8080	SET-D-TS8135	740	
SET-D-DD10168	1000	SET-D-FD10160			-	SET-D-SPX10160	SET-D-TCX10080		SET-D-TS10135	940		
SET-D-DD12168	1200	SET-D-FD12160		-	SET-D-SPX12160	SET-D-TCX12080	SET-D-TS12135	1140				
SET-D-FH4184	400	1800		400	SET-D-FD4180	-	SET-D-SPX4180	SET-D-SPX4180	SET-D-TCX4040	SET-D-TS4155	340	
SET-D-FH5184	500				SET-D-FD5180	SET-D-GD5180	SET-D-SPX5180		SET-D-TCX5040	SET-D-TS5155	440	
SET-D-FH6184	600				SET-D-FD6180	SET-D-GD6180	SET-D-SPX6180		SET-D-TCX6040	SET-D-TS6155	540	
SET-D-FH7184	700				SET-D-FD7180	SET-D-GD7180	SET-D-SPX7180		SET-D-TCX7040	SET-D-TS7155	640	
SET-D-FH8184	800				SET-D-FD8180	SET-D-GD8180	SET-D-SPX8180		SET-D-TCX8040	SET-D-TS8155	740	
SET-D-DD10184	1000		SET-D-FD10180		-	SET-D-SPX10180	SET-D-TCX10040		SET-D-TS10155	940		
SET-D-DD12184	1200		SET-D-FD12180	-	SET-D-SPX12180	SET-D-TCX12040	SET-D-TS12155	1140				
SET-D-FH4185	400		1800	500	SET-D-FD4180	-	SET-D-SPX4180	SET-D-SPX5180	SET-D-TCX4050	SET-D-TS4155	340	
SET-D-FH5185	500				SET-D-FD5180	SET-D-GD5180	SET-D-SPX5180		SET-D-TCX5050	SET-D-TS5155	440	
SET-D-FH6185	600				SET-D-FD6180	SET-D-GD6180	SET-D-SPX6180		SET-D-TCX6050	SET-D-TS6155	540	
SET-D-FH7185	700				SET-D-FD7180	SET-D-GD7180	SET-D-SPX7180		SET-D-TCX7050	SET-D-TS7155	640	
SET-D-FH8185	800				SET-D-FD8180	SET-D-GD8180	SET-D-SPX8180		SET-D-TCX8050	SET-D-TS8155	740	
SET-D-DD10185	1000	SET-D-FD10180			-	SET-D-SPX10180	SET-D-TCX10050		SET-D-TS10155	940		
SET-D-DD12185	1200	SET-D-FD12180		-	SET-D-SPX12180	SET-D-TCX12050	SET-D-TS12155	1140				
SET-D-FH4186	400	1800		600	SET-D-FD4180	-	SET-D-SPX4180	SET-D-SPX6180	SET-D-TCX4060	SET-D-TS4155	340	
SET-D-FH5186	500				SET-D-FD5180	SET-D-GD5180	SET-D-SPX5180		SET-D-TCX5060	SET-D-TS5155	440	
SET-D-FH6186	600				SET-D-FD6180	SET-D-GD6180	SET-D-SPX6180		SET-D-TCX6060	SET-D-TS6155	540	
SET-D-FH7186	700				SET-D-FD7180	SET-D-GD7180	SET-D-SPX7180		SET-D-TCX7060	SET-D-TS7155	640	
SET-D-FH8186	800				SET-D-FD8180	SET-D-GD8180	SET-D-SPX8180		SET-D-TCX8060	SET-D-TS8155	740	
SET-D-DD10186	1000		SET-D-FD10180		-	SET-D-SPX10180	SET-D-TCX10060		SET-D-TS10155	940		
SET-D-DD12186	1200		SET-D-FD12180	-	SET-D-SPX12180	SET-D-TCX12060	SET-D-TS12155	1140				
SET-D-FH4188	400		1800	800	SET-D-FD4180	-	SET-D-SPX4180	SET-D-SPX8180	SET-D-TCX4080	SET-D-TS4155	340	
SET-D-FH5188	500				SET-D-FD5180	SET-D-GD5180	SET-D-SPX5180		SET-D-TCX5080	SET-D-TS5155	440	
SET-D-FH6188	600				SET-D-FD6180	SET-D-GD6180	SET-D-SPX6180		SET-D-TCX6080	SET-D-TS6155	540	
SET-D-FH7188	700				SET-D-FD7180	SET-D-GD7180	SET-D-SPX7180		SET-D-TCX7080	SET-D-TS7155	640	
SET-D-FH8188	800				SET-D-FD8180	SET-D-GD8180	SET-D-SPX8180		SET-D-TCX8080	SET-D-TS8155	740	
SET-D-DD10188	1000	SET-D-FD10180			-	SET-D-SPX10180	SET-D-TCX10080		SET-D-TS10155	940		
SET-D-DD12188	1200	SET-D-FD12180		-	SET-D-SPX12180	SET-D-TCX12080	SET-D-TS12155	1140				
SET-D-FH4204	400	2000		400	SET-D-FD4200	-	SET-D-SPX4200	SET-D-SPX4200	SET-D-TCX4040	SET-D-TS4175	340	
SET-D-FH5204	500				SET-D-FD5200	SET-D-GD5200	SET-D-SPX5200		SET-D-TCX5040	SET-D-TS5175	440	
SET-D-FH6204	600				SET-D-FD6200	SET-D-GD6200	SET-D-SPX6200		SET-D-TCX6040	SET-D-TS6175	540	
SET-D-FH7204	700				SET-D-FD7200	SET-D-GD7200	SET-D-SPX7200		SET-D-TCX7040	SET-D-TS7175	640	
SET-D-FH8204	800				SET-D-FD8200	SET-D-GD8200	SET-D-SPX8200		SET-D-TCX8040	SET-D-TS8175	740	
SET-D-DD10204	1000		SET-D-FD10200		-	SET-D-SPX10200	SET-D-TCX10040		SET-D-TS10175	940		
SET-D-DD12204	1200		SET-D-FD12200	-	SET-D-SPX12200	SET-D-TCX12040	SET-D-TS12175	1140				
SET-D-FH4205	400		500	500	SET-D-FD4200	-	SET-D-SPX4200	SET-D-SPX5200	SET-D-TCX4050	SET-D-TS4175	340	
SET-D-FH5205	500				SET-D-FD5200	SET-D-GD5200	SET-D-SPX5200		SET-D-TCX5050	SET-D-TS5175	440	
SET-D-FH6205	600				SET-D-FD6200	SET-D-GD6200	SET-D-SPX6200		SET-D-TCX6050	SET-D-TS6175	540	
SET-D-FH7205	700				SET-D-FD7200	SET-D-GD7200	SET-D-SPX7200		SET-D-TCX7050	SET-D-TS7175	640	
SET-D-FH8205	800				SET-D-FD8200	SET-D-GD8200	SET-D-SPX8200		SET-D-TCX8050	SET-D-TS8175	740	
SET-D-DD10205	1000	SET-D-FD10200			-	SET-D-SPX10200	SET-D-TCX10050		SET-D-TS10175	940		
SET-D-DD12205	1200	SET-D-FD12200	-	SET-D-SPX12200	SET-D-TCX12050	SET-D-TS12175	1140					

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Indoor Type (IP55) | IK10

IP55

Mounting Profiles	Bottom Cover	Side Supports	Plint Corners h:100 (mm)	Plint h:100 (mm)		Plint Corners h:200 (mm)	Plint h:200 (mm)	
				Front/Rear	Side		Front/Rear	Side
SET-D-LC0135	SET-D-BC4040	SET-D-RS4000	SET-D-BC0100	SET-D-BS4100	SET-D-BS4100	SET-D-BC0200	SET-D-BS4200	SET-D-BS4200
	SET-D-BC5040			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6040			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7040			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8040			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10040			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12040	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4050	SET-D-RS5000		SET-D-BS4100	SET-D-BS5100		SET-D-BS4200	SET-D-BS5200
	SET-D-BC5050			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6050			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7050			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8050			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10050			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12050	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4060	SET-D-RS6000		SET-D-BS4100	SET-D-BS6100		SET-D-BS4200	SET-D-BS6200
	SET-D-BC5060			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6060			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7060			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8060			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10060			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12060	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4080	SET-D-RS8000		SET-D-BS4100	SET-D-BS8100		SET-D-BS4200	SET-D-BS8200
	SET-D-BC5080			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6080			SET-D-BS6100			SET-D-BS6200	
SET-D-BC7080	SET-D-BS7100		SET-D-BS7200					
SET-D-BC8080	SET-D-BS8100		SET-D-BS8200					
SET-D-BC10080	SET-D-BS10100		SET-D-BS10200					
SET-D-BC12080	SET-D-BS12100	SET-D-BS12200						
SET-D-LC0155	SET-D-BC4040	SET-D-RS4000	SET-D-BS4100	SET-D-BS4100	SET-D-BC0200	SET-D-BS4200	SET-D-BS4200	
	SET-D-BC5040		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6040		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7040		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8040		SET-D-BS8100			SET-D-BS8200		
	SET-D-BC10040		SET-D-BS10100			SET-D-BS10200		
	SET-D-BC12040	SET-D-BS12100	SET-D-BS12200					
	SET-D-BC4050	SET-D-RS5000	SET-D-BS4100	SET-D-BS5100		SET-D-BS4200	SET-D-BS5200	
	SET-D-BC5050		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6050		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7050		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8050		SET-D-BS8100			SET-D-BS8200		
	SET-D-BC10050		SET-D-BS10100			SET-D-BS10200		
	SET-D-BC12050	SET-D-BS12100	SET-D-BS12200					
	SET-D-BC4060	SET-D-RS6000	SET-D-BS4100	SET-D-BS6100		SET-D-BS4200	SET-D-BS6200	
	SET-D-BC5060		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6060		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7060		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8060		SET-D-BS8100			SET-D-BS8200		
	SET-D-BC10060		SET-D-BS10100			SET-D-BS10200		
	SET-D-BC12060	SET-D-BS12100	SET-D-BS12200					
	SET-D-BC4080	SET-D-RS8000	SET-D-BS4100	SET-D-BS8100		SET-D-BS4200	SET-D-BS8200	
	SET-D-BC5080		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6080		SET-D-BS6100			SET-D-BS6200		
SET-D-BC7080	SET-D-BS7100		SET-D-BS7200					
SET-D-BC8080	SET-D-BS8100		SET-D-BS8200					
SET-D-BC10080	SET-D-BS10100		SET-D-BS10200					
SET-D-BC12080	SET-D-BS12100	SET-D-BS12200						
SET-D-LC0175	SET-D-BC4040	SET-D-RS4000	SET-D-BS4100	SET-D-BS4100	SET-D-BC0200	SET-D-BS4200	SET-D-BS4200	
	SET-D-BC5040		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6040		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7040		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8040		SET-D-BS8100			SET-D-BS8200		
	SET-D-BC10040		SET-D-BS10100			SET-D-BS10200		
	SET-D-BC12040	SET-D-BS12100	SET-D-BS12200					
	SET-D-BC4050	SET-D-RS5000	SET-D-BS4100	SET-D-BS5100		SET-D-BS4200	SET-D-BS5200	
	SET-D-BC5050		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6050		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7050		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8050		SET-D-BS8100			SET-D-BS8200		
SET-D-BC10050	SET-D-BS10100		SET-D-BS10200					
SET-D-BC12050	SET-D-BS12100	SET-D-BS12200						

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

IP55

Indoor Type (IP55) | IK10

Product Code	Dimensions			Blind Door	Glazed Door	Rear Panel	Side Panel	Top Cover	Mounting Plate	MP usable dimensions		
	W(mm)	H(mm)	D(mm)							W(mm)	H(mm)	
SET-D-FH4206	400	2000	600	SET-D-FD4200	-	SET-D-SPX4200	SET-D-SPX6200	SET-D-TCX4060	SET-D-TS4175	340	1750	
SET-D-FH5206	500			SET-D-FD5200	SET-D-GD5200	SET-D-SPX5200		SET-D-TCX5060	SET-D-TS5175	440		
SET-D-FH6206	600			SET-D-FD6200	SET-D-GD6200	SET-D-SPX6200		SET-D-TCX6060	SET-D-TS6175	540		
SET-D-FH7206	700			SET-D-FD7200	SET-D-GD7200	SET-D-SPX7200		SET-D-TCX7060	SET-D-TS7175	640		
SET-D-FH8206	800			SET-D-FD8200	SET-D-GD8200	SET-D-SPX8200		SET-D-TCX8060	SET-D-TS8175	740		
SET-D-DD10206	1000			SET-D-FD10200	-	SET-D-SPX10200		SET-D-TCX10060	SET-D-TS10175	940		
SET-D-DD12206	1200		SET-D-FD12200	-	SET-D-SPX12200	SET-D-TCX12060	SET-D-TS12175	1140				
SET-D-FH4208	400		800	600	SET-D-FD4200	-	SET-D-SPX4200	SET-D-SPX8200	SET-D-TCX4080	SET-D-TS4175		340
SET-D-FH5208	500				SET-D-FD5200	SET-D-GD5200	SET-D-SPX5200		SET-D-TCX5080	SET-D-TS5175		440
SET-D-FH6208	600				SET-D-FD6200	SET-D-GD6200	SET-D-SPX6200		SET-D-TCX6080	SET-D-TS6175		540
SET-D-FH7208	700				SET-D-FD7200	SET-D-GD7200	SET-D-SPX7200		SET-D-TCX7080	SET-D-TS7175		640
SET-D-FH8208	800				SET-D-FD8200	SET-D-GD8200	SET-D-SPX8200		SET-D-TCX8080	SET-D-TS8175		740
SET-D-DD10208	1000	SET-D-FD10200			-	SET-D-SPX10200	SET-D-TCX10080		SET-D-TS10175	940		
SET-D-DD12208	1200	SET-D-FD12200	-	SET-D-SPX12200	SET-D-TCX12080	SET-D-TS12175	1140					
SET-D-FH4214	400	2100	400	SET-D-FD4210	-	SET-D-SPX4210	SET-D-SPX4210	SET-D-TCX4040	SET-D-TS4185	340		
SET-D-FH5214	500			SET-D-FD5210	SET-D-GD5210	SET-D-SPX5210		SET-D-TCX5040	SET-D-TS5185	440		
SET-D-FH6214	600			SET-D-FD6210	SET-D-GD6210	SET-D-SPX6210		SET-D-TCX6040	SET-D-TS6185	540		
SET-D-FH7214	700			SET-D-FD7210	SET-D-GD7210	SET-D-SPX7210		SET-D-TCX7040	SET-D-TS7185	640		
SET-D-FH8214	800			SET-D-FD8210	SET-D-GD8210	SET-D-SPX8210		SET-D-TCX8040	SET-D-TS8185	740		
SET-D-DD10214	1000			SET-D-FD10210	-	SET-D-SPX10210		SET-D-TCX10040	SET-D-TS10185	940		
SET-D-DD12214	1200		SET-D-FD12210	-	SET-D-SPX12210	SET-D-TCX12040	SET-D-TS12185	1140				
SET-D-FH4215	400		500	600	SET-D-FD4210	-	SET-D-SPX4210	SET-D-SPX5210	SET-D-TCX4050	SET-D-TS4185	340	
SET-D-FH5215	500				SET-D-FD5210	SET-D-GD5210	SET-D-SPX5210		SET-D-TCX5050	SET-D-TS5185	440	
SET-D-FH6215	600				SET-D-FD6210	SET-D-GD6210	SET-D-SPX6210		SET-D-TCX6050	SET-D-TS6185	540	
SET-D-FH7215	700				SET-D-FD7210	SET-D-GD7210	SET-D-SPX7210		SET-D-TCX7050	SET-D-TS7185	640	
SET-D-FH8215	800				SET-D-FD8210	SET-D-GD8210	SET-D-SPX8210		SET-D-TCX8050	SET-D-TS8185	740	
SET-D-DD10215	1000	SET-D-FD10210			-	SET-D-SPX10210	SET-D-TCX10050		SET-D-TS10185	940		
SET-D-DD12215	1200	SET-D-FD12210	-	SET-D-SPX12210	SET-D-TCX12050	SET-D-TS12185	1140					
SET-D-FH4216	400	600	600	SET-D-FD4210	-	SET-D-SPX4210	SET-D-SPX6210	SET-D-TCX4060	SET-D-TS4185	340		
SET-D-FH5216	500			SET-D-FD5210	SET-D-GD5210	SET-D-SPX5210		SET-D-TCX5060	SET-D-TS5185	440		
SET-D-FH6216	600			SET-D-FD6210	SET-D-GD6210	SET-D-SPX6210		SET-D-TCX6060	SET-D-TS6185	540		
SET-D-FH7216	700			SET-D-FD7210	SET-D-GD7210	SET-D-SPX7210		SET-D-TCX7060	SET-D-TS7185	640		
SET-D-FH8216	800			SET-D-FD8210	SET-D-GD8210	SET-D-SPX8210		SET-D-TCX8060	SET-D-TS8185	740		
SET-D-DD10216	1000			SET-D-FD10210	-	SET-D-SPX10210		SET-D-TCX10060	SET-D-TS10185	940		
SET-D-DD12216	1200	SET-D-FD12210	-	SET-D-SPX12210	SET-D-TCX12060	SET-D-TS12185	1140					
SET-D-FH4218	400	800	600	SET-D-FD4210	-	SET-D-SPX4210	SET-D-SPX8210	SET-D-TCX4080	SET-D-TS4185	340		
SET-D-FH5218	500			SET-D-FD5210	SET-D-GD5210	SET-D-SPX5210		SET-D-TCX5080	SET-D-TS5185	440		
SET-D-FH6218	600			SET-D-FD6210	SET-D-GD6210	SET-D-SPX6210		SET-D-TCX6080	SET-D-TS6185	540		
SET-D-FH7218	700			SET-D-FD7210	SET-D-GD7210	SET-D-SPX7210		SET-D-TCX7080	SET-D-TS7185	640		
SET-D-FH8218	800			SET-D-FD8210	SET-D-GD8210	SET-D-SPX8210		SET-D-TCX8080	SET-D-TS8185	740		
SET-D-DD10218	1000			SET-D-FD10210	-	SET-D-SPX10210		SET-D-TCX10080	SET-D-TS10185	940		
SET-D-DD12218	1200	SET-D-FD12210	-	SET-D-SPX12210	SET-D-TCX12080	SET-D-TS12185	1140					
SET-D-FH4224	400	2200	400	SET-D-FD4220	-	SET-D-SPX4220	SET-D-SPX4220	SET-D-TCX4040	SET-D-TS4195	340		
SET-D-FH5224	500			SET-D-FD5220	SET-D-GD5220	SET-D-SPX5220		SET-D-TCX5040	SET-D-TS5195	440		
SET-D-FH6224	600			SET-D-FD6220	SET-D-GD6220	SET-D-SPX6220		SET-D-TCX6040	SET-D-TS6195	540		
SET-D-FH7224	700			SET-D-FD7220	SET-D-GD7220	SET-D-SPX7220		SET-D-TCX7040	SET-D-TS7195	640		
SET-D-FH8224	800			SET-D-FD8220	SET-D-GD8220	SET-D-SPX8220		SET-D-TCX8040	SET-D-TS8195	740		
SET-D-DD10224	1000			SET-D-FD10220	-	SET-D-SPX10220		SET-D-TCX10040	SET-D-TS10195	940		
SET-D-DD12224	1200		SET-D-FD12220	-	SET-D-SPX12220	SET-D-TCX12040	SET-D-TS12195	1140				
SET-D-FH4225	400		500	600	SET-D-FD4220	-	SET-D-SPX4220	SET-D-SPX5220	SET-D-TCX4050	SET-D-TS4195	340	
SET-D-FH5225	500				SET-D-FD5220	SET-D-GD5220	SET-D-SPX5220		SET-D-TCX5050	SET-D-TS5195	440	
SET-D-FH6225	600				SET-D-FD6220	SET-D-GD6220	SET-D-SPX6220		SET-D-TCX6050	SET-D-TS6195	540	
SET-D-FH7225	700				SET-D-FD7220	SET-D-GD7220	SET-D-SPX7220		SET-D-TCX7050	SET-D-TS7195	640	
SET-D-FH8225	800				SET-D-FD8220	SET-D-GD8220	SET-D-SPX8220		SET-D-TCX8050	SET-D-TS8195	740	
SET-D-DD10225	1000	SET-D-FD10220			-	SET-D-SPX10220	SET-D-TCX10050		SET-D-TS10195	940		
SET-D-DD12225	1200	SET-D-FD12220	-	SET-D-SPX12220	SET-D-TCX12050	SET-D-TS12195	1140					
SET-D-FH4226	400	600	600	SET-D-FD4220	-	SET-D-SPX4220	SET-D-SPX6220	SET-D-TCX4060	SET-D-TS4195	340		
SET-D-FH5226	500			SET-D-FD5220	SET-D-GD5220	SET-D-SPX5220		SET-D-TCX5060	SET-D-TS5195	440		
SET-D-FH6226	600			SET-D-FD6220	SET-D-GD6220	SET-D-SPX6220		SET-D-TCX6060	SET-D-TS6195	540		
SET-D-FH7226	700			SET-D-FD7220	SET-D-GD7220	SET-D-SPX7220		SET-D-TCX7060	SET-D-TS7195	640		
SET-D-FH8226	800			SET-D-FD8220	SET-D-GD8220	SET-D-SPX8220		SET-D-TCX8060	SET-D-TS8195	740		
SET-D-DD10226	1000			SET-D-FD10220	-	SET-D-SPX10220		SET-D-TCX10060	SET-D-TS10195	940		
SET-D-DD12226	1200	SET-D-FD12220	-	SET-D-SPX12220	SET-D-TCX12060	SET-D-TS12195	1140					
SET-D-FH4228	400	800	600	SET-D-FD4220	-	SET-D-SPX4220	SET-D-SPX8220	SET-D-TCX4080	SET-D-TS4195	340		
SET-D-FH5228	500			SET-D-FD5220	SET-D-GD5220	SET-D-SPX5220		SET-D-TCX5080	SET-D-TS5195	440		
SET-D-FH6228	600			SET-D-FD6220	SET-D-GD6220	SET-D-SPX6220		SET-D-TCX6080	SET-D-TS6195	540		
SET-D-FH7228	700			SET-D-FD7220	SET-D-GD7220	SET-D-SPX7220		SET-D-TCX7080	SET-D-TS7195	640		
SET-D-FH8228	800			SET-D-FD8220	SET-D-GD8220	SET-D-SPX8220		SET-D-TCX8080	SET-D-TS8195	740		
SET-D-DD10228	1000			SET-D-FD10220	-	SET-D-SPX10220		SET-D-TCX10080	SET-D-TS10195	940		
SET-D-DD12228	1200	SET-D-FD12220	-	SET-D-SPX12220	SET-D-TCX12080	SET-D-TS12195	1140					

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Indoor Type (IP55) | IK10

IP55

Mounting Profiles	Bottom Cover	Side Supports	Plint Corners h:100 (mm)	Plint h:100 (mm)		Plint Corners h:200 (mm)	Plint h:200 (mm)	
				Front/Rear	Side		Front/Rear	Side
SET-D-LC0175	SET-D-BC4060	SET-D-RS6000	SET-D-BC0100	SET-D-BS4100	SET-D-BS6100	SET-D-BC0200	SET-D-BS4200	SET-D-BS6200
	SET-D-BC5060			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6060			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7060			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8060			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10060			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12060	SET-D-BS12100		SET-D-BS12200				
	SET-D-BC4080	SET-D-RS8000		SET-D-BS4100	SET-D-BS8100		SET-D-BS4200	SET-D-BS8200
	SET-D-BC5080			SET-D-BS5100			SET-D-BS5200	
	SET-D-BC6080			SET-D-BS6100			SET-D-BS6200	
	SET-D-BC7080			SET-D-BS7100			SET-D-BS7200	
	SET-D-BC8080			SET-D-BS8100			SET-D-BS8200	
	SET-D-BC10080			SET-D-BS10100			SET-D-BS10200	
	SET-D-BC12080			SET-D-BS12100			SET-D-BS12200	
SET-D-BC4040	SET-D-RS4000		SET-D-BS4100	SET-D-BS4100		SET-D-BS4200	SET-D-BS4200	
SET-D-BC5040		SET-D-BS5100	SET-D-BS5200					
SET-D-BC6040		SET-D-BS6100	SET-D-BS6200					
SET-D-BC7040		SET-D-BS7100	SET-D-BS7200					
SET-D-BC8040		SET-D-BS8100	SET-D-BS8200					
SET-D-BC10040		SET-D-BS10100	SET-D-BS10200					
SET-D-BC12040	SET-D-BS12100	SET-D-BS12200						
SET-D-LC0185	SET-D-BC4050	SET-D-RS5000	SET-D-BS4100	SET-D-BS5100	SET-D-BC0200	SET-D-BS4200	SET-D-BS5200	
	SET-D-BC5050		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6050		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7050		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8050		SET-D-BS8100			SET-D-BS8200		
	SET-D-BC10050		SET-D-BS10100			SET-D-BS10200		
	SET-D-BC12050	SET-D-BS12100	SET-D-BS12200					
	SET-D-BC4060	SET-D-RS6000	SET-D-BS4100	SET-D-BS6100		SET-D-BS4200	SET-D-BS6200	
	SET-D-BC5060		SET-D-BS5100			SET-D-BS5200		
	SET-D-BC6060		SET-D-BS6100			SET-D-BS6200		
	SET-D-BC7060		SET-D-BS7100			SET-D-BS7200		
	SET-D-BC8060		SET-D-BS8100			SET-D-BS8200		
	SET-D-BC10060		SET-D-BS10100			SET-D-BS10200		
	SET-D-BC12060		SET-D-BS12100			SET-D-BS12200		
SET-D-BC4080	SET-D-RS8000		SET-D-BS4100		SET-D-BS8100	SET-D-BS4200	SET-D-BS8200	
SET-D-BC5080		SET-D-BS5100	SET-D-BS5200					
SET-D-BC6080		SET-D-BS6100	SET-D-BS6200					
SET-D-BC7080		SET-D-BS7100	SET-D-BS7200					
SET-D-BC8080		SET-D-BS8100	SET-D-BS8200					
SET-D-BC10080		SET-D-BS10100	SET-D-BS10200					
SET-D-BC12080		SET-D-BS12100	SET-D-BS12200					
SET-D-LC0195		SET-D-BC4040	SET-D-RS4000	SET-D-BS4100		SET-D-BS4100	SET-D-BC0200	SET-D-BS4200
	SET-D-BC5040	SET-D-BS5100		SET-D-BS5200				
	SET-D-BC6040	SET-D-BS6100		SET-D-BS6200				
	SET-D-BC7040	SET-D-BS7100		SET-D-BS7200				
	SET-D-BC8040	SET-D-BS8100		SET-D-BS8200				
	SET-D-BC10040	SET-D-BS10100		SET-D-BS10200				
	SET-D-BC12040	SET-D-BS12100	SET-D-BS12200					
	SET-D-BC4050	SET-D-RS5000	SET-D-BS4100	SET-D-BS5100	SET-D-BS4200	SET-D-BS5200		
	SET-D-BC5050		SET-D-BS5100		SET-D-BS5200			
	SET-D-BC6050		SET-D-BS6100		SET-D-BS6200			
	SET-D-BC7050		SET-D-BS7100		SET-D-BS7200			
	SET-D-BC8050		SET-D-BS8100		SET-D-BS8200			
	SET-D-BC10050		SET-D-BS10100		SET-D-BS10200			
	SET-D-BC12050		SET-D-BS12100		SET-D-BS12200			
SET-D-BC4060	SET-D-RS6000		SET-D-BS4100		SET-D-BS6100	SET-D-BS4200	SET-D-BS6200	
SET-D-BC5060		SET-D-BS5100	SET-D-BS5200					
SET-D-BC6060		SET-D-BS6100	SET-D-BS6200					
SET-D-BC7060		SET-D-BS7100	SET-D-BS7200					
SET-D-BC8060		SET-D-BS8100	SET-D-BS8200					
SET-D-BC10060		SET-D-BS10100	SET-D-BS10200					
SET-D-BC12060		SET-D-BS12100	SET-D-BS12200					
SET-D-BC4080		SET-D-RS8000	SET-D-BS4100	SET-D-BS8100		SET-D-BS4200	SET-D-BS8200	
SET-D-BC5080	SET-D-BS5100		SET-D-BS5200					
SET-D-BC6080	SET-D-BS6100		SET-D-BS6200					
SET-D-BC7080	SET-D-BS7100		SET-D-BS7200					
SET-D-BC8080	SET-D-BS8100		SET-D-BS8200					
SET-D-BC10080	SET-D-BS10100		SET-D-BS10200					
SET-D-BC12080	SET-D-BS12100		SET-D-BS12200					

FREE STANDING ENCLOSURES

Modular Outdoor Type (IP55) | IK10



FREE STANDING ENCLOSURES

Modular Outdoor Type (IP55) | IK10

PAINT : RAL7035W Electrostatic Powder Coating (Salt spray test up to 600 hours)
C5M paint optional

GASKET : Poliuretan Liquid Gasket

PROTECTION : IP55 (Outdoor Type) - IK10

AVAILABLE DIMENSIONS :

Width : 400-800mm / Height : 1600-2200 mm / Depth : 400-800 mm
Height dimensions includes 100 mm floorbase (plinth)

DOOR : Rod Latch Lock Systems and Concealed Hinge
Front door can be open up to 105° - 3 point locking system.

MATERIAL:

Cargass : 1,5 mm galvanized steel.
Door : 2 mm painted steel
Rear, roof and side panels : 1,2 mm painted steel
Mounting Plate : 2mm galvanized steel
Internal Parts: 1,5 mm galvanized steel
Bottom Plates : 1,2 mm galvanized steel
Base Corner: 2,0 mm Painted steel

SIDE PANELS :

Supplied as an accessory

ROOF PANEL : Removable

LOCK : Espagnolette 3-points locking system.

BOTTOM PLATES : Consists of three pieces.

MOUNTING PLATE : Supplied as an accessory with multiple size options

EARTHING : All panels are earthed through their fittings and are equipped with a separate earthing stud.

CERTIFICATES : CE, IEC,TSE,ISO,GOST,SEISMIC

DELIVERY : Frame with fitted door, rear panel, roof panel, bottom plates. Delivery also includes earthing bolts.
Package includes two CMB profiles mounted in depth. All packing material is recyclable. Delivery will be in carton boxes combined in pallets.

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Modular Outdoor Type with Canopy (IP55) | IK10

Product Code	Dimensions			Blind Door	Rear Panel	Side Panel	Canopy	Mounting Plate	MP usable dimensions			
	W(mm)	H(mm)	D(mm)						W(mm)	H(mm)		
SET-D-FHC4164	400	1600	400	SET-D-FD4160	SET-D-SPX4160	SET-D-SPX4160	SET-D-PS4040	SET-D-TS4135	340	1350		
SET-D-FHC5164	500			SET-D-FD5160	SET-D-SPX5160		SET-D-PS5040	SET-D-TS5135	440			
SET-D-FHC6164	600			SET-D-FD6160	SET-D-SPX6160		SET-D-PS6040	SET-D-TS6135	540			
SET-D-FHC7164	700			SET-D-FD7160	SET-D-SPX7160		SET-D-PS7040	SET-D-TS7135	640			
SET-D-FHC8164	800		SET-D-FD8160	SET-D-SPX8160	SET-D-PS8040	SET-D-TS8135	740					
SET-D-FHC4165	400		500	SET-D-FD4160	SET-D-SPX4160	SET-D-SPX5160	SET-D-PS4050	SET-D-TS4135	340			
SET-D-FHC5165	500			SET-D-FD5160	SET-D-SPX5160		SET-D-PS5050	SET-D-TS5135	440			
SET-D-FHC6165	600			SET-D-FD6160	SET-D-SPX6160		SET-D-PS6050	SET-D-TS6135	540			
SET-D-FHC7165	700			SET-D-FD7160	SET-D-SPX7160		SET-D-PS7050	SET-D-TS7135	640			
SET-D-FHC8165	800			SET-D-FD8160	SET-D-SPX8160		SET-D-PS8050	SET-D-TS8135	740			
SET-D-FHC4166	400			600	SET-D-FD4160		SET-D-SPX4160	SET-D-SPX6160	SET-D-PS4060		SET-D-TS4135	340
SET-D-FHC5166	500				SET-D-FD5160		SET-D-SPX5160		SET-D-PS5060		SET-D-TS5135	440
SET-D-FHC6166	600				SET-D-FD6160		SET-D-SPX6160		SET-D-PS6060		SET-D-TS6135	540
SET-D-FHC7166	700		SET-D-FD7160		SET-D-SPX7160	SET-D-PS7060	SET-D-TS7135		640			
SET-D-FHC8166	800		SET-D-FD8160	SET-D-SPX8160	SET-D-PS8060	SET-D-TS8135	740					
SET-D-FHC4168	400		800	SET-D-FD4160	SET-D-SPX4160	SET-D-SPX8160	SET-D-PS4080	SET-D-TS4135	340			
SET-D-FHC5168	500	SET-D-FD5160		SET-D-SPX5160	SET-D-PS5080		SET-D-TS5135	440				
SET-D-FHC6168	600	SET-D-FD6160		SET-D-SPX6160	SET-D-PS6080		SET-D-TS6135	540				
SET-D-FHC7168	700	SET-D-FD7160		SET-D-SPX7160	SET-D-PS7080		SET-D-TS7135	640				
SET-D-FHC8168	800	SET-D-FD8160		SET-D-SPX8160	SET-D-PS8080		SET-D-TS8135	740				
SET-D-FHC4184	400	1800		SET-D-FD4180	SET-D-SPX4180		SET-D-SPX4180	SET-D-PS4040	SET-D-TS4155	340		
SET-D-FHC5184	500			SET-D-FD5180	SET-D-SPX5180			SET-D-PS5040	SET-D-TS5155	440		
SET-D-FHC6184	600			SET-D-FD6180	SET-D-SPX6180			SET-D-PS6040	SET-D-TS6155	540		
SET-D-FHC7184	700		SET-D-FD7180	SET-D-SPX7180	SET-D-PS7040	SET-D-TS7155		640				
SET-D-FHC8184	800		SET-D-FD8180	SET-D-SPX8180	SET-D-PS8040	SET-D-TS8155		740				
SET-D-FHC4185	400		500	SET-D-FD4180	SET-D-SPX4180	SET-D-SPX5180		SET-D-PS4050	SET-D-TS4155	340		
SET-D-FHC5185	500			SET-D-FD5180	SET-D-SPX5180			SET-D-PS5050	SET-D-TS5155	440		
SET-D-FHC6185	600			SET-D-FD6180	SET-D-SPX6180			SET-D-PS6050	SET-D-TS6155	540		
SET-D-FHC7185	700	SET-D-FD7180		SET-D-SPX7180	SET-D-PS7050		SET-D-TS7155	640				
SET-D-FHC8185	800	SET-D-FD8180		SET-D-SPX8180	SET-D-PS8050		SET-D-TS8155	740				
SET-D-FHC4186	400	600		SET-D-FD4180	SET-D-SPX4180		SET-D-SPX6180	SET-D-PS4060	SET-D-TS4155	340		
SET-D-FHC5186	500			SET-D-FD5180	SET-D-SPX5180			SET-D-PS5060	SET-D-TS5155	440		
SET-D-FHC6186	600			SET-D-FD6180	SET-D-SPX6180			SET-D-PS6060	SET-D-TS6155	540		
SET-D-FHC7186	700		SET-D-FD7180	SET-D-SPX7180	SET-D-PS7060	SET-D-TS7155		640				
SET-D-FHC8186	800		SET-D-FD8180	SET-D-SPX8180	SET-D-PS8060	SET-D-TS8155		740				
SET-D-FHC4188	400		800	SET-D-FD4180	SET-D-SPX4180	SET-D-SPX8180		SET-D-PS4080	SET-D-TS4155	340		
SET-D-FHC5188	500			SET-D-FD5180	SET-D-SPX5180			SET-D-PS5080	SET-D-TS5155	440		
SET-D-FHC6188	600			SET-D-FD6180	SET-D-SPX6180			SET-D-PS6080	SET-D-TS6155	540		
SET-D-FHC7188	700	SET-D-FD7180		SET-D-SPX7180	SET-D-PS7080		SET-D-TS7155	640				
SET-D-FHC8188	800	SET-D-FD8180		SET-D-SPX8180	SET-D-PS8080		SET-D-TS8155	740				
SET-D-FHC4204	400	2000		SET-D-FD4200	SET-D-SPX4200		SET-D-SPX4200	SET-D-PS4040	SET-D-TS4175	340		
SET-D-FHC5204	500			SET-D-FD5200	SET-D-SPX5200			SET-D-PS5040	SET-D-TS5175	440		
SET-D-FHC6204	600			SET-D-FD6200	SET-D-SPX6200			SET-D-PS6040	SET-D-TS6175	540		
SET-D-FHC7204	700		SET-D-FD7200	SET-D-SPX7200	SET-D-PS7040	SET-D-TS7175		640				
SET-D-FHC8204	800		SET-D-FD8200	SET-D-SPX8200	SET-D-PS8040	SET-D-TS8175	740					
SET-D-FHC4205	400		500	SET-D-FD4200	SET-D-SPX4200	SET-D-SPX5200	SET-D-PS4050	SET-D-TS4175	340			
SET-D-FHC5205	500			SET-D-FD5200	SET-D-SPX5200		SET-D-PS5050	SET-D-TS5175	440			
SET-D-FHC6205	600			SET-D-FD6200	SET-D-SPX6200		SET-D-PS6050	SET-D-TS6175	540			
SET-D-FHC7205	700			SET-D-FD7200	SET-D-SPX7200		SET-D-PS7050	SET-D-TS7175	640			
SET-D-FHC8205	800			SET-D-FD8200	SET-D-SPX8200		SET-D-PS8050	SET-D-TS8175	740			
SET-D-FHC4206	400			600	SET-D-FD4200		SET-D-SPX4200	SET-D-SPX6200	SET-D-PS4060	SET-D-TS4175	340	
SET-D-FHC5206	500				SET-D-FD5200		SET-D-SPX5200		SET-D-PS5060	SET-D-TS5175	440	
SET-D-FHC6206	600				SET-D-FD6200		SET-D-SPX6200		SET-D-PS6060	SET-D-TS6175	540	
SET-D-FHC7206	700		SET-D-FD7200		SET-D-SPX7200	SET-D-PS7060	SET-D-TS7175		640			
SET-D-FHC8206	800		SET-D-FD8200		SET-D-SPX8200	SET-D-PS8060	SET-D-TS8175		740			
SET-D-FHC4208	400		800		SET-D-FD4200	SET-D-SPX4200	SET-D-SPX8200		SET-D-PS4080	SET-D-TS4175	340	
SET-D-FHC5208	500	SET-D-FD5200			SET-D-SPX5200	SET-D-PS5080			SET-D-TS5175	440		
SET-D-FHC6208	600	SET-D-FD6200			SET-D-SPX6200	SET-D-PS6080			SET-D-TS6175	540		
SET-D-FHC7208	700	SET-D-FD7200		SET-D-SPX7200	SET-D-PS7080	SET-D-TS7175		640				
SET-D-FHC8208	800	SET-D-FD8200		SET-D-SPX8200	SET-D-PS8080	SET-D-TS8175		740				
SET-D-FHC4214	400	2100		SET-D-FD4210	SET-D-SPX4210	SET-D-SPX4210		SET-D-PS4040	SET-D-TS4185	340		
SET-D-FHC5214	500			SET-D-FD5210	SET-D-SPX5210			SET-D-PS5040	SET-D-TS5185	440		
SET-D-FHC6214	600			SET-D-FD6210	SET-D-SPX6210			SET-D-PS6040	SET-D-TS6185	540		
SET-D-FHC7214	700		SET-D-FD7210	SET-D-SPX7210	SET-D-PS7040		SET-D-TS7185	640				
SET-D-FHC8214	800		SET-D-FD8210	SET-D-SPX8210	SET-D-PS8040	SET-D-TS8185	740					
SET-D-FHC4215	400		500	SET-D-FD4210	SET-D-SPX4210	SET-D-SPX5210	SET-D-PS4050	SET-D-TS4185	340			
SET-D-FHC5215	500			SET-D-FD5210	SET-D-SPX5210		SET-D-PS5050	SET-D-TS5185	440			
SET-D-FHC6215	600			SET-D-FD6210	SET-D-SPX6210		SET-D-PS6050	SET-D-TS6185	540			
SET-D-FHC7215	700	SET-D-FD7210		SET-D-SPX7210	SET-D-PS7050		SET-D-TS7185	640				
SET-D-FHC8215	800	SET-D-FD8210	SET-D-SPX8210	SET-D-PS8050	SET-D-TS8185	740						

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Modular Outdoor Type with Canopy (IP55) | IK10

Mounting Profiles	Bottom Cover	Side Supports	Plint Corners h:100 (mm)	Plint h:100 (mm)		Plint Corners h:200 (mm)	Plint h:200 (mm)	
				Front/Rear	Side		Front/Rear	Side
SET-D-LC0135	SET-D-BCX4040	SET-D-RS4000	SET-D-BC100	SET-D-BS4100	SET-D-BS4100	SET-D-BC0200	SET-D-BS4200	SET-D-BS4200
	SET-D-BCX5040			SET-D-BS5100	SET-D-BS5200			
	SET-D-BCX6040			SET-D-BS6100	SET-D-BS6200			
	SET-D-BCX7040			SET-D-BS7100	SET-D-BS7200			
	SET-D-BCX8040			SET-D-BS8100	SET-D-BS8200			
	SET-D-BCX4050			SET-D-BS4100	SET-D-BS10200			
	SET-D-BCX5050	SET-D-BS5100		SET-D-BS12200				
	SET-D-BCX6050	SET-D-BS6100		SET-D-BS4200	SET-D-BS5200			
	SET-D-BCX7050	SET-D-BS7100		SET-D-BS5200				
	SET-D-BCX8050	SET-D-BS8100		SET-D-BS6200				
	SET-D-BCX4060	SET-D-BS4100		SET-D-BS7200				
	SET-D-BCX5060	SET-D-BS5100		SET-D-BS8200				
	SET-D-BCX6060	SET-D-BS6100		SET-D-BS10200				
	SET-D-BCX7060	SET-D-BS7100		SET-D-BS12200				
	SET-D-BCX8060	SET-D-BS8100		SET-D-BS4200	SET-D-BS6200			
	SET-D-BCX4080	SET-D-BS4100		SET-D-BS5200				
	SET-D-BCX5080	SET-D-BS5100		SET-D-BS6200				
	SET-D-BCX6080	SET-D-BS6100		SET-D-BS7200				
SET-D-BCX7080	SET-D-BS7100	SET-D-BS8200						
SET-D-BCX8080	SET-D-BS8100	SET-D-BS10200						
SET-D-LC0155	SET-D-BCX4040	SET-D-RS4000	SET-D-BS4100	SET-D-BS4100	SET-D-BS12200	SET-D-BS8200		
	SET-D-BCX5040		SET-D-BS5100	SET-D-BS4200				
	SET-D-BCX6040		SET-D-BS6100	SET-D-BS5200				
	SET-D-BCX7040		SET-D-BS7100	SET-D-BS6200				
	SET-D-BCX8040		SET-D-BS8100	SET-D-BS7200				
	SET-D-BCX4050		SET-D-BS4100	SET-D-BS8200				
	SET-D-BCX5050	SET-D-BS5100	SET-D-BS10200					
	SET-D-BCX6050	SET-D-BS6100	SET-D-BS12200	SET-D-BS4200				
	SET-D-BCX7050	SET-D-BS7100	SET-D-BS4200					
	SET-D-BCX8050	SET-D-BS8100	SET-D-BS5200					
	SET-D-BCX4060	SET-D-BS4100	SET-D-BS6200					
	SET-D-BCX5060	SET-D-BS5100	SET-D-BS7200					
	SET-D-BCX6060	SET-D-BS6100	SET-D-BS8200					
	SET-D-BCX7060	SET-D-BS7100	SET-D-BS10200	SET-D-BS5200				
	SET-D-BCX8060	SET-D-BS8100	SET-D-BS12200					
	SET-D-BCX4080	SET-D-BS4100	SET-D-BS4200					
	SET-D-BCX5080	SET-D-BS5100	SET-D-BS5200					
	SET-D-BCX6080	SET-D-BS6100	SET-D-BS6200					
SET-D-BCX7080	SET-D-BS7100	SET-D-BS7200						
SET-D-BCX8080	SET-D-BS8100	SET-D-BS8200						
SET-D-LC0175	SET-D-BCX4040	SET-D-RS4000	SET-D-BS4100	SET-D-BS4100	SET-D-BS10200	SET-D-BS6200		
	SET-D-BCX5040		SET-D-BS5100	SET-D-BS12200				
	SET-D-BCX6040		SET-D-BS6100	SET-D-BS4200				
	SET-D-BCX7040		SET-D-BS7100	SET-D-BS5200				
	SET-D-BCX8040		SET-D-BS8100	SET-D-BS6200				
	SET-D-BCX4050		SET-D-BS4100	SET-D-BS7200				
	SET-D-BCX5050	SET-D-BS5100	SET-D-BS8200					
	SET-D-BCX6050	SET-D-BS6100	SET-D-BS10200	SET-D-BS8200				
	SET-D-BCX7050	SET-D-BS7100	SET-D-BS12200					
	SET-D-BCX8050	SET-D-BS8100	SET-D-BS4200					
	SET-D-BCX4060	SET-D-BS4100	SET-D-BS5200					
	SET-D-BCX5060	SET-D-BS5100	SET-D-BS6200					
	SET-D-BCX6060	SET-D-BS6100	SET-D-BS7200					
	SET-D-BCX7060	SET-D-BS7100	SET-D-BS8200	SET-D-BS4200				
	SET-D-BCX8060	SET-D-BS8100	SET-D-BS10200					
	SET-D-BCX4080	SET-D-BS4100	SET-D-BS12200					
	SET-D-BCX5080	SET-D-BS5100	SET-D-BS4200					
	SET-D-BCX6080	SET-D-BS6100	SET-D-BS5200					
SET-D-BCX7080	SET-D-BS7100	SET-D-BS6200						
SET-D-BCX8080	SET-D-BS8100	SET-D-BS7200						
SET-D-LC0185	SET-D-BCX4040	SET-D-RS4000	SET-D-BS4100	SET-D-BS4100	SET-D-BS8200	SET-D-BS5200		
	SET-D-BCX5040		SET-D-BS5100	SET-D-BS10200				
	SET-D-BCX6040		SET-D-BS6100	SET-D-BS12200				
	SET-D-BCX7040		SET-D-BS7100	SET-D-BS4200				
	SET-D-BCX8040	SET-D-BS8100	SET-D-BS5200	SET-D-BS6200				
	SET-D-BCX4050	SET-D-BS4100	SET-D-BS6200					
	SET-D-BCX5050	SET-D-BS5100	SET-D-BS7200					
	SET-D-BCX6050	SET-D-BS6100	SET-D-BS8200					
SET-D-BCX7050	SET-D-BS7100	SET-D-BS10200	SET-D-BS8200					
SET-D-BCX8050	SET-D-BS8100	SET-D-BS12200						

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Modular Outdoor Type with Canopy (IP55) | IK10

Product Code	Dimensions			Blind Door	Rear Panel	Side Panel	Canopy	Mounting Plate	MP usable dimensions	
	W(mm)	H(mm)	D(mm)						W(mm)	H(mm)
SET-D-FHC4216	400	2100	600	SET-D-FD4210	SET-D-SPX4210	SET-D-SPX6210	SET-D-PS4060	SET-D-TS4185	340	1850
SET-D-FHC5216	500			SET-D-FD5210	SET-D-SPX5210		SET-D-PS5060	SET-D-TS5185	440	
SET-D-FHC6216	600			SET-D-FD6210	SET-D-SPX6210		SET-D-PS6060	SET-D-TS6185	540	
SET-D-FHC7216	700			SET-D-FD7210	SET-D-SPX7210		SET-D-PS7060	SET-D-TS7185	640	
SET-D-FHC8216	800			SET-D-FD8210	SET-D-SPX8210		SET-D-PS8060	SET-D-TS8185	740	
SET-D-FHC4218	400		800	SET-D-FD4210	SET-D-SPX4210	SET-D-SPX8210	SET-D-PS4080	SET-D-TS4185	340	
SET-D-FHC5218	500			SET-D-FD5210	SET-D-SPX5210		SET-D-PS5080	SET-D-TS5185	440	
SET-D-FHC6218	600			SET-D-FD6210	SET-D-SPX6210		SET-D-PS6080	SET-D-TS6185	540	
SET-D-FHC7218	700			SET-D-FD7210	SET-D-SPX7210		SET-D-PS7080	SET-D-TS7185	640	
SET-D-FHC8218	800			SET-D-FD8210	SET-D-SPX8210		SET-D-PS8080	SET-D-TS8185	740	
SET-D-FHC4224	400	2200	400	SET-D-FD4220	SET-D-SPX4220	SET-D-SPX4220	SET-D-PS4040	SET-D-TS4195	340	1950
SET-D-FHC5224	500			SET-D-FD5220	SET-D-SPX5220		SET-D-PS5040	SET-D-TS5195	440	
SET-D-FHC6224	600			SET-D-FD6220	SET-D-SPX6220		SET-D-PS6040	SET-D-TS6195	540	
SET-D-FHC7224	700			SET-D-FD7220	SET-D-SPX7220		SET-D-PS7040	SET-D-TS7195	640	
SET-D-FHC8224	800			SET-D-FD8220	SET-D-SPX8220		SET-D-PS8040	SET-D-TS8195	740	
SET-D-FHC4225	400		500	SET-D-FD4220	SET-D-SPX4220	SET-D-SPX5220	SET-D-PS4050	SET-D-TS4195	340	
SET-D-FHC5225	500			SET-D-FD5220	SET-D-SPX5220		SET-D-PS5050	SET-D-TS5195	440	
SET-D-FHC6225	600			SET-D-FD6220	SET-D-SPX6220		SET-D-PS6050	SET-D-TS6195	540	
SET-D-FHC7225	700			SET-D-FD7220	SET-D-SPX7220		SET-D-PS7050	SET-D-TS7195	640	
SET-D-FHC8225	800			SET-D-FD8220	SET-D-SPX8220		SET-D-PS8050	SET-D-TS8195	740	
SET-D-FHC4226	400	600	SET-D-FD4220	SET-D-SPX4220	SET-D-SPX6220	SET-D-PS4060	SET-D-TS4195	340		
SET-D-FHC5226	500		SET-D-FD5220	SET-D-SPX5220		SET-D-PS5060	SET-D-TS5195	440		
SET-D-FHC6226	600		SET-D-FD6220	SET-D-SPX6220		SET-D-PS6060	SET-D-TS6195	540		
SET-D-FHC7226	700		SET-D-FD7220	SET-D-SPX7220		SET-D-PS7060	SET-D-TS7195	640		
SET-D-FHC8226	800		SET-D-FD8220	SET-D-SPX8220		SET-D-PS8060	SET-D-TS8195	740		
SET-D-FHC4228	400	800	SET-D-FD4220	SET-D-SPX4220	SET-D-SPX8220	SET-D-PS4080	SET-D-TS4195	340		
SET-D-FHC5228	500		SET-D-FD5220	SET-D-SPX5220		SET-D-PS5080	SET-D-TS5195	440		
SET-D-FHC6228	600		SET-D-FD6220	SET-D-SPX6220		SET-D-PS6080	SET-D-TS6195	540		
SET-D-FHC7228	700		SET-D-FD7220	SET-D-SPX7220		SET-D-PS7080	SET-D-TS7195	640		
SET-D-FHC8228	800		SET-D-FD8220	SET-D-SPX8220		SET-D-PS8080	SET-D-TS8195	740		

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Modular Outdoor Type with Canopy (IP55) | IK10

Mounting Profiles	Bottom Cover	Side Supports	Plint Corners h:100 (mm)	Plint h:100 (mm)		Plint Corners h:200 (mm)	Plint h:200 (mm)		
				Front/Rear	Side		Front/Rear	Side	
SET-D-LC0185	SET-D-BCX4060	SET-D-RS6000	SET-D-BC0100	SET-D-BS4100	SET-D-BS6100	SET-D-BC0200	SET-D-BS4200	SET-D-BS6200	
	SET-D-BCX5060			SET-D-BS5100			SET-D-BS5200		
	SET-D-BCX6060			SET-D-BS6100			SET-D-BS6200		
	SET-D-BCX7060			SET-D-BS7100			SET-D-BS7200		
	SET-D-BCX8060			SET-D-BS8100			SET-D-BS8200		
	SET-D-BCX4080	SET-D-BS4100		SET-D-BS10200					
	SET-D-BCX5080	SET-D-BS5100		SET-D-BS12200					
	SET-D-BCX6080	SET-D-BS6100		SET-D-BS4200					
	SET-D-BCX7080	SET-D-BS7100		SET-D-BS5200					
SET-D-BCX8080	SET-D-BS8100	SET-D-BS6200							
SET-D-LC0195	SET-D-BCX4040	SET-D-RS4000		SET-D-BS4100	SET-D-BS4100		SET-D-BS7200	SET-D-BS4200	SET-D-BS7200
	SET-D-BCX5040			SET-D-BS5100			SET-D-BS8200		
	SET-D-BCX6040			SET-D-BS6100			SET-D-BS10200		
	SET-D-BCX7040			SET-D-BS7100			SET-D-BS12200		
	SET-D-BCX8040			SET-D-BS8100			SET-D-BS4200		
	SET-D-BCX4050	SET-D-RS5000		SET-D-BS4100	SET-D-BS5100		SET-D-BS5200	SET-D-BS4200	SET-D-BS5200
	SET-D-BCX5050			SET-D-BS6100			SET-D-BS7200		
	SET-D-BCX6050			SET-D-BS7100			SET-D-BS8200		
	SET-D-BCX7050		SET-D-BS8100	SET-D-BS10200					
	SET-D-BCX8050		SET-D-BS4100	SET-D-BS12200					
	SET-D-BCX4060		SET-D-RS6000	SET-D-BS5100		SET-D-BS6100	SET-D-BS4200		SET-D-BS5200
	SET-D-BCX5060	SET-D-BS6100		SET-D-BS5200					
	SET-D-BCX6060	SET-D-BS7100		SET-D-BS6200					
	SET-D-BCX7060	SET-D-BS8100		SET-D-BS7200					
	SET-D-BCX8060	SET-D-BS4100		SET-D-BS8200					
	SET-D-BCX4080	SET-D-RS8000	SET-D-BS5100	SET-D-BS8100	SET-D-BS10200	SET-D-BS5200	SET-D-BS10200		
	SET-D-BCX5080		SET-D-BS6100		SET-D-BS12200				
	SET-D-BCX6080		SET-D-BS7100		SET-D-BS4200				
	SET-D-BCX7080		SET-D-BS8100		SET-D-BS5200				
	SET-D-BCX8080		SET-D-BS4100		SET-D-BS6200				
	SET-D-BCX8080		SET-D-BS5100		SET-D-BS6200				

FREE STANDING ENCLOSURES

Welded Type (IP65) | IK10



FREE STANDING ENCLOSURES

Welded Type (IP65) | IK10

PAINT : RAL7035W Electrostatic Powder Coating (Salt spray test up to 600 hours)
C5M paint optional

GASKET : Poliuretano Liquid Gasket

PROTECTION : IP65 (Outdoor Type) - IK10

AVAILABLE DIMENSIONS :

Width : 400-800mm / Height : 1600-2200 mm / Depth : 300-400 mm
Height dimensions includes 100 mm floorbase (plinth)

DOOR : Rod Latch Lock Systems and Concealed Hinge
Front door can be open up to 105° - 3 point locking system.

MATERIAL :

Cargass : 1,5 mm galvanized steel.
Door : 2 mm painted steel
Rear : 1,2 mm painted steel
Mounting Plate : 2mm galvanized steel
Internal Parts: 1,5 mm galvanized steel
Bottom Plates : 1,2 mm galvanized steel
Base Corner: 2,0 mm Painted steel

SIDE PANELS :

Supplied as an accessory

LOCK : Espagnolette 3-points locking system.

BOTTOM PLATES : Consists of single part with gasket.

MOUNTING PLATE : Supplied as an accessory with multiple size options

EARTHING : All panels are earthed through their fittings and are equipped with a separate earthing stud.

CERTIFICATES : CE, IEC, TSE, ISO, GOST, SEISMIC


DELIVERY : Enclosures ship on the pallet and accessories will be install inside the panels if requested.

FREE STANDING ENCLOSURES

Welded Type (IP65) | IK10

Product Code	Dimensions			Details
	W (mm)	H (mm)	D (mm)	
SET-D-FHC4163	400	1600	300	<p>IP65 / IK10 Carcass :1,50 mm Door: 2,00 mm Rear Panel:1,50 mm Bottom Cover: 1,20 mm GZR Plint Corner: 2,00 mm Plint Cover: 1,20 mm Espagnolettes lock RAL7035W</p> <p>Without Side Panels, Internal Parts, Cover Plates and Mounting Plate</p> <p>Polyester Electrostatic Powder Coating</p>
SET-D-FHC5163	500	1600	300	
SET-D-FHC6163	600	1600	300	
SET-D-FHC7163	700	1600	300	
SET-D-FHC8163	800	1600	300	
SET-D-FHC4164	400	1600	400	
SET-D-FHC5164	500	1600	400	
SET-D-FHC6164	600	1600	400	
SET-D-FHC7164	700	1600	400	
SET-D-FHC8164	800	1600	400	
SET-D-FHC4183	400	1800	300	
SET-D-FHC5183	500	1800	300	
SET-D-FHC6183	600	1800	300	
SET-D-FHC7183	700	1800	300	
SET-D-FHC8183	800	1800	300	
SET-D-FHC4184	400	1800	400	
SET-D-FHC5184	500	1800	400	
SET-D-FHC6184	600	1800	400	
SET-D-FHC7184	700	1800	400	
SET-D-FHC8184	800	1800	400	
SET-D-FHC4203	400	2000	300	
SET-D-FHC5203	500	2000	300	
SET-D-FHC6203	600	2000	300	
SET-D-FHC7203	700	2000	300	
SET-D-FHC8203	800	2000	300	
SET-D-FHC4204	400	2000	400	
SET-D-FHC5204	500	2000	400	
SET-D-FHC6204	600	2000	400	
SET-D-FHC7204	700	2000	400	
SET-D-FHC8204	800	2000	400	
SET-D-FHC4213	400	2100	300	
SET-D-FHC5213	500	2100	300	
SET-D-FHC6213	600	2100	300	
SET-D-FHC7213	700	2100	300	
SET-D-FHC8213	800	2100	300	
SET-D-FHC4214	400	2100	400	
SET-D-FHC5214	500	2100	400	
SET-D-FHC6214	600	2100	400	
SET-D-FHC7214	700	2100	400	
SET-D-FHC8214	800	2100	400	
SET-D-FHC4223	400	2200	300	
SET-D-FHC5223	500	2200	300	
SET-D-FHC6223	600	2200	300	
SET-D-FHC7223	700	2200	300	
SET-D-FHC8223	800	2200	300	
SET-D-FHC4224	400	2200	400	
SET-D-FHC5224	500	2200	400	
SET-D-FHC6224	600	2200	400	
SET-D-FHC7224	700	2200	400	
SET-D-FHC8224	800	2200	400	

FREE STANDING MODULAR TYPE PANELS ACCESSORIES



FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Blind Door

SET-D-FD...



Details

Thickness: 2,00 mm
RAL7035W Electrostatic
Powder Coating
With Poliuretán Liquid Gasket
Espagnolette 3 Points Lock
With Internal Support

Product Code	Dimensions	
	W (mm)	H (mm)
SET-D-FD4160	400	1500
SET-D-FD5160	500	
SET-D-FD6160	600	
SET-D-FD7160	700	
SET-D-FD8160	800	
SET-D-FD10160	1000	
SET-D-FD12160	1200	1700
SET-D-FD4180	400	
SET-D-FD5180	500	
SET-D-FD6180	600	
SET-D-FD7180	700	
SET-D-FD8180	800	
SET-D-FD10180	1000	1900
SET-D-FD12180	1200	
SET-D-FD4200	400	
SET-D-FD5200	500	
SET-D-FD6200	600	
SET-D-FD7200	700	
SET-D-FD8200	800	2000
SET-D-FD10200	1000	
SET-D-FD12200	1200	
SET-D-FD4210	400	
SET-D-FD5210	500	
SET-D-FD6210	600	
SET-D-FD7210	700	2100
SET-D-FD8210	800	
SET-D-FD10210	1000	
SET-D-FD12210	1200	
SET-D-FD4220	400	
SET-D-FD5220	500	
SET-D-FD6220	600	
SET-D-FD7220	700	
SET-D-FD8220	800	
SET-D-FD10220	1000	
SET-D-FD12220	1200	

Glazed Door

SET-D-GD...

Details




Thickness: 2,00 mm
RAL7035W Electrostatic
Powder Coating
With Poliuretán Liquid Gasket
Espagnolette Lock
3 point locking
Mego Reinforced
4 mm Transparent Tempered Glass
(Alternatively Polycarbonate options are available.)

Product Code	Dimensions	
	W (mm)	H (mm)
SET-D-GD5160	500	1500
SET-D-GD6160	600	
SET-D-GD7160	700	
SET-D-GD8160	800	1700
SET-D-GD5180	500	
SET-D-GD6180	600	
SET-D-GD7180	700	1900
SET-D-GD8180	800	
SET-D-GD5200	500	
SET-D-GD6200	600	2000
SET-D-GD7200	700	
SET-D-GD8200	800	
SET-D-GD5210	500	2100
SET-D-GD6210	600	
SET-D-GD7210	700	
SET-D-GD8210	800	2100
SET-D-GD5220	500	
SET-D-GD6220	600	
SET-D-GD7220	700	
SET-D-GD8220	800	

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Side & Rear Panel (IP41)

SET-D-SP...



Details


Thickness: 1,20 mm

RAL7035W Electrostatic
Powder Coating

Side Panels 1 set (2 Pcs.)

Side & Rear Panel (IP55)

SET-D-SPX...



Details

Thickness: 1,20 mm

RAL7035W Electrostatic
Powder Coating

Side Panels 1 set (2 Pcs.)
With Poliuretano Liquid Gasket

Product Code	Dimensions	
	W (mm)	H (mm)
SET-D-SP4160	400	1500
SET-D-SP5160	500	
SET-D-SP6160	600	
SET-D-SP7160	700	
SET-D-SP8160	800	
SET-D-SP10160	1000	
SET-D-SP12160	1200	
SET-D-SP4180	400	1700
SET-D-SP5180	500	
SET-D-SP6180	600	
SET-D-SP7180	700	
SET-D-SP8180	800	
SET-D-SP10180	1000	
SET-D-SP12180	1200	
SET-D-SP4200	400	1900
SET-D-SP5200	500	
SET-D-SP6200	600	
SET-D-SP7200	700	
SET-D-SP8200	800	
SET-D-SP10200	1000	
SET-D-SP12200	1200	
SET-D-SP4210	400	2000
SET-D-SP5210	500	
SET-D-SP6210	600	
SET-D-SP7210	700	
SET-D-SP8210	800	
SET-D-SP10210	1000	
SET-D-SP12210	1200	
SET-D-SP4220	400	2100
SET-D-SP5220	500	
SET-D-SP6220	600	
SET-D-SP7220	700	
SET-D-SP8220	800	
SET-D-SP10220	1000	
SET-D-SP12220	1200	

Product Code	Dimensions	
	W (mm)	H (mm)
SET-D-SPX4160	400	1500
SET-D-SPX5160	500	
SET-D-SPX6160	600	
SET-D-SPX7160	700	
SET-D-SPX8160	800	
SET-D-SPX10160	1000	
SET-D-SPX12160	1200	
SET-D-SPX4180	400	1700
SET-D-SPX5180	500	
SET-D-SPX6180	600	
SET-D-SPX7180	700	
SET-D-SPX8180	800	
SET-D-SPX10180	1000	
SET-D-SPX12180	1200	
SET-D-SPX4200	400	1900
SET-D-SPX5200	500	
SET-D-SPX6200	600	
SET-D-SPX7200	700	
SET-D-SPX8200	800	
SET-D-SPX10200	1000	
SET-D-SPX12200	1200	
SET-D-SPX4210	400	2000
SET-D-SPX5210	500	
SET-D-SPX6210	600	
SET-D-SPX7210	700	
SET-D-SPX8210	800	
SET-D-SPX10210	1000	
SET-D-SPX12210	1200	
SET-D-SPX4220	400	2100
SET-D-SPX5220	500	
SET-D-SPX6220	600	
SET-D-SPX7220	700	
SET-D-SPX8220	800	
SET-D-SPX10220	1000	
SET-D-SPX12220	1200	

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Top Cover (IP41)

SET-D-TC...



Details

Thickness: 1,20 mm
RAL7035W Electrostatic
Powder Coating
With 2 Pieces M12 Eyebolts and
2 Pieces M12 Bolts

Top Cover (IP55)

SET-D-TC...



Details

Thickness: 1,20 mm
RAL7035W Electrostatic
Powder Coating
With 2 Pieces M12 Eyebolts and
2 Pieces M12 Bolts
With Poliuretán Liquid Gasket

Product Code	Dimensions	
	W (mm)	D (mm)
SET-D-TC4040	400	400
SET-D-TC5040	500	
SET-D-TC6040	600	
SET-D-TC7040	700	
SET-D-TC8040	800	
SET-D-TC10040	1000	
SET-D-TC12040	1200	
SET-D-TC4050	400	500
SET-D-TC5050	500	
SET-D-TC6050	600	
SET-D-TC7050	700	
SET-D-TC8050	800	
SET-D-TC10050	1000	
SET-D-TC12050	1200	
SET-D-TC4060	400	600
SET-D-TC5060	500	
SET-D-TC6060	600	
SET-D-TC7060	700	
SET-D-TC8060	800	
SET-D-TC10060	1000	
SET-D-TC12060	1200	
SET-D-TC4080	400	800
SET-D-TC5080	500	
SET-D-TC6080	600	
SET-D-TC7080	700	
SET-D-TC8080	800	
SET-D-TC10080	1000	
SET-D-TC12080	1200	

Product Code	Dimensions	
	W (mm)	D (mm)
SET-D-TCX4040	400	400
SET-D-TCX5040	500	
SET-D-TCX6040	600	
SET-D-TCX7040	700	
SET-D-TCX8040	800	
SET-D-TCX10040	1000	
SET-D-TCX12040	1200	
SET-D-TCX4050	400	500
SET-D-TCX5050	500	
SET-D-TCX6050	600	
SET-D-TCX7050	700	
SET-D-TCX8050	800	
SET-D-TCX10050	1000	
SET-D-TCX12050	1200	
SET-D-TCX4060	400	600
SET-D-TCX5060	500	
SET-D-TCX6060	600	
SET-D-TCX7060	700	
SET-D-TCX8060	800	
SET-D-TCX10060	1000	
SET-D-TCX12060	1200	
SET-D-TCX4080	400	800
SET-D-TCX5080	500	
SET-D-TCX6080	600	
SET-D-TCX7080	700	
SET-D-TCX8080	800	
SET-D-TCX10080	1000	
SET-D-TCX12080	1200	

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Bottom Cover (IP41- IP55 Indoor)

SET-D-BC...



Details

Thickness: 1,20 mm
GZRS 1311

Bottom Cover (IP55 Outdoor)

SET-D-BCX...



Details

Thickness: 1,20 mm
GZRS 1311


With Poliuretanan Liquid Gasket

Product Code	Dimensions	
	W (mm)	D (mm)
SET-D-BC4040	400	400
SET-D-BC5040	500	
SET-D-BC6040	600	
SET-D-BC7040	700	
SET-D-BC8040	800	
SET-D-BC10040	1000	
SET-D-BC12040	1200	
SET-D-BC4050	400	500
SET-D-BC5050	500	
SET-D-BC6050	600	
SET-D-BC7050	700	
SET-D-BC8050	800	
SET-D-BC10050	1000	
SET-D-BC12050	1200	
SET-D-BC4060	400	600
SET-D-BC5060	500	
SET-D-BC6060	600	
SET-D-BC7060	700	
SET-D-BC8060	800	
SET-D-BC10060	1000	
SET-D-BC12060	1200	
SET-D-BC4080	400	800
SET-D-BC5080	500	
SET-D-BC6080	600	
SET-D-BC7080	700	
SET-D-BC8080	800	
SET-D-BC10080	1000	
SET-D-BC12080	1200	

Product Code	Dimensions	
	W (mm)	D (mm)
SET-D-BCX4040	400	400
SET-D-BCX5040	500	
SET-D-BCX6040	600	
SET-D-BCX7040	700	
SET-D-BCX8040	800	
SET-D-BCX10040	1000	
SET-D-BCX12040	1200	
SET-D-BCX4050	400	500
SET-D-BCX5050	500	
SET-D-BCX6050	600	
SET-D-BCX7050	700	
SET-D-BCX8050	800	
SET-D-BCX10050	1000	
SET-D-BCX12050	1200	
SET-D-BCX4060	400	600
SET-D-BCX5060	500	
SET-D-BCX6060	600	
SET-D-BCX7060	700	
SET-D-BCX8060	800	
SET-D-BCX10060	1000	
SET-D-BCX12060	1200	
SET-D-BCX4080	400	800
SET-D-BCX5080	500	
SET-D-BCX6080	600	
SET-D-BCX7080	700	
SET-D-BCX8080	800	
SET-D-BCX10080	1000	
SET-D-BCX12080	1200	

Plint Corner

SET-D-BC...



Details

Thickness: 2.00 mm
RAL7035W Electrostatic
Powder Coating
1 Set (4 Pcs.)

Product Code	Dimensions
	H (mm)
SET-D-BC0100	100
SET-D-BC0200	200

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Mounting Plate

SET-D-TS...




Details

Thickness: 2,00 mm
GZRS 1311
With Mounting Profiles
Full Mounting Plate

Product Code	Dimensions	
	W (mm)	H (mm)
SET-D-TS4135	340	1350
SET-D-TS5135	440	
SET-D-TS6135	540	
SET-D-TS7135	640	
SET-D-TS8135	740	
SET-D-TS10135	940	
SET-D-TS12135	1140	
SET-D-TS4155	340	1550
SET-D-TS5155	440	
SET-D-TS6155	540	
SET-D-TS7155	640	
SET-D-TS8155	740	
SET-D-TS10155	940	
SET-D-TS12155	1140	
SET-D-TS4175	340	1750
SET-D-TS5175	440	
SET-D-TS6175	540	
SET-D-TS7175	640	
SET-D-TS8175	740	
SET-D-TS10175	940	
SET-D-TS12175	1140	
SET-D-TS4185	340	1850
SET-D-TS5185	440	
SET-D-TS6185	540	
SET-D-TS7185	640	
SET-D-TS8185	740	
SET-D-TS10185	940	
SET-D-TS12185	1140	
SET-D-TS4195	340	1950
SET-D-TS5195	440	
SET-D-TS6195	540	
SET-D-TS7195	640	
SET-D-TS8195	740	
SET-D-TS10195	940	
SET-D-TS12195	1140	

Mounting Plate

SET-D-TS...



Details

Thickness: 1,50 mm
GZRS 1311
With Mounting Profiles
Partial Mounting Plate

Product Code	Dimensions	
	W (mm)	H (mm)
SET-D-TS4150	340	150
SET-D-TS5150	440	
SET-D-TS6150	540	
SET-D-TS7150	640	
SET-D-TS8150	740	
SET-D-TS10150	940	
SET-D-TS12150	1140	
SET-D-TS4200	340	200
SET-D-TS5200	440	
SET-D-TS6200	540	
SET-D-TS7200	640	
SET-D-TS8200	740	
SET-D-TS10200	940	
SET-D-TS12200	1140	
SET-D-TS4250	340	250
SET-D-TS5250	440	
SET-D-TS6250	540	
SET-D-TS7250	640	
SET-D-TS8250	740	
SET-D-TS10250	940	
SET-D-TS12250	1140	
SET-D-TS4300	340	300
SET-D-TS5300	440	
SET-D-TS6300	540	
SET-D-TS7300	640	
SET-D-TS8300	740	
SET-D-TS10300	940	
SET-D-TS12300	1140	
SET-D-TS4500	340	500
SET-D-TS5500	440	
SET-D-TS6500	540	
SET-D-TS7500	640	
SET-D-TS8500	740	
SET-D-TS10500	940	
SET-D-TS12500	1140	



Mounting Profile
1 set (2 pcs)

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Plint Covers

SET-D-BS...

Details



Thickness: 1.20 mm
RAL7035W Electrostatic Powder Coating
1 Set (2 Pcs.)

Product Code	Dimensions	
	W (mm)	H (mm)
SET-D-BS4100	400	100
SET-D-BS5100	500	
SET-D-BS6100	600	
SET-D-BS7100	700	
SET-D-BS8100	800	
SET-D-BS10100	1000	
SET-D-BS12100	1200	200
SET-D-BS4200	400	
SET-D-BS5200	500	
SET-D-BS6200	600	
SET-D-BS7200	700	
SET-D-BS8200	800	
SET-D-BS10200	1000	
SET-D-BS12200	1200	

Side Supports

SET-D-RS...

Details




Thickness: 1,50 mm
GZRS 1311
1 Set (2 Pcs.)

Product Code	Dimensions	
	H (mm)	D (mm)
SET-D-RS3000	50	300
SET-D-RS4000		400
SET-D-RS5000		500
SET-D-RS6000		600
SET-D-RS8000		800

Cover Profile (Vertical)

SET-D-OV...

Details



Thickness: 1,20 mm
GZRS 1311
1 Set (2 Pcs.)

Product Code	Dimensions
	H (mm)
SET-D-OV0160	1435
SET-D-OV0180	1635
SET-D-OV0200	1835
SET-D-OV0210	1935
SET-D-OV0220	2035

MCB - Cover Plate

SET-D-OW...



Details

Thickness: 1,00 mm
RAL7035W Electrostatic Powder Coating
Alternatively, Metal hinge and Mini lock Option are available.


Thickness: 1,20 mm

Product Code	Dimensions		MCB
	W(mm)	H(mm)	
SET-D-OW4150	400	150	12 Mcb
SET-D-OW5150	500		18 Mcb
SET-D-OW6150	600		24 Mcb
SET-D-OW7150	700		30 Mcb
SET-D-OW8150	800		33 Mcb
SET-D-OW4200	400		200
SET-D-OW5200	500	18 Mcb	
SET-D-OW6200	600	24 Mcb	
SET-D-OW7200	700	30 Mcb	
SET-D-OW8200	800	33 Mcb	
SET-D-OW10150	1000	150	
SET-D-OW12150	1200		52 Mcb
SET-D-OW10200	1000	200	46 Mcb
SET-D-OW12200	1200		52 Mcb

Cover Profile (Horizontal)

SET-D-OH...

Details



Thickness: 1,20 mm
GZRS 1311
1 Set (2 Pcs.)

Product Code	Dimensions
	W (mm)
SET-D-OH0400	330
SET-D-OH0500	430
SET-D-OH0600	530
SET-D-OH0700	630
SET-D-OH0800	730
SET-D-OH01000	930
SET-D-OH01200	1130

MCB Carrier

SET-D-MW...

Details



Thickness: 1,50 mm
GZRS 1311
Included MCCB Carrier

Thickness: 2,00 mm
GZRS 1311

Product Code	Dimensions
	W (mm)
SET-D-MW4000	400
SET-D-MW5000	500
SET-D-MW6000	600
SET-D-MW7000	700
SET-D-MW8000	800
SET-D-MW10000	1000
SET-D-MW12000	1200

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Cover Plate (Imperford)

SET-D-OB...



Details

Thickness: 1,00 mm
RAL7035W Electrostatic Powder Coating
Alternatively, Metal hinge and Mini lock
Option are available

Thickness: 1,20 mm

Product Code	Dimensions	
	W (mm)	H (mm)
SET-D-OB4150	400	150
SET-D-OB5150	500	
SET-D-OB6150	600	
SET-D-OB7150	700	
SET-D-OB8150	800	200
SET-D-OB4200	400	
SET-D-OB5200	500	
SET-D-OB6200	600	
SET-D-OB7200	700	250
SET-D-OB8200	800	
SET-D-OB4250	400	
SET-D-OB5250	500	
SET-D-OB6250	600	300
SET-D-OB7250	700	
SET-D-OB8250	800	
SET-D-OB4300	400	
SET-D-OB5300	500	400
SET-D-OB6300	600	
SET-D-OB7300	700	
SET-D-OB8300	800	
SET-D-OB4400	400	500
SET-D-OB5400	500	
SET-D-OB6400	600	
SET-D-OB7400	700	
SET-D-OB8400	800	150
SET-D-OB4500	400	
SET-D-OB5500	500	
SET-D-OB6500	600	
SET-D-OB7500	700	200
SET-D-OB8500	800	
SET-D-OB10150	1000	
SET-D-OB12150	1200	
SET-D-OB10200	1000	250
SET-D-OB12200	1200	
SET-D-OB10250	1000	
SET-D-OB12250	1200	
SET-D-OB10300	1000	300
SET-D-OB12300	1200	
SET-D-OB10400	1000	
SET-D-OB12400	1200	
SET-D-OB10500	1000	400
SET-D-OB12500	1200	
SET-D-OB10500	1000	500
SET-D-OB12500	1200	

MCCB Carrier

SET-D-MC...



Details

Thickness: 1,50 mm
GZRS 1311
1 Set (2 Pcs.)
Included Mounting Profile

Thickness: 2,00 mm
GZRS 1311

Product Code	Dimensions
	W (mm)
SET-D-MC4000	400
SET-D-MC5000	500
SET-D-MC6000	600
SET-D-MC7000	700
SET-D-MC8000	800
SET-D-MC10000	1000
SET-D-MC12000	1200

Rail/Cable Carrier

SET-D-RC...



Details

Thickness: 1,50 mm
GZRS 1311

Thickness: 2,00 mm
GZRS 1311

Product Code	Dimensions
	W (mm)
SET-D-RC4000	400
SET-D-RC5000	500
SET-D-RC6000	600
SET-D-RC7000	700
SET-D-RC8000	800
SET-D-RC10000	1000
SET-D-RC12000	1200

Cable Connection

SET-D-CC...



Details

Thickness: 1,50 mm
GZRS 1311

Thickness: 2,00 mm
GZRS 1311

Product Code	Dimensions
	W (mm)
SET-D-CC4000	400
SET-D-CC5000	500
SET-D-CC6000	600
SET-D-CC7000	700
SET-D-CC8000	800
SET-D-CC10000	1000
SET-D-CC12000	1200

FREE STANDING MODULAR TYPE PANELS ACCESSORIES

Masterpact Carrier SET-D-ACB...




Details

Thickness: 2,00 mm
GZRS 1311
Without Side Supports

Thickness: 2,50 mm
GZRS 1311

Product Code	Dimensions	
	W (mm)	
SET-D-ACB6000	600	
SET-D-ACB7000	700	
SET-D-ACB8000	800	
SET-D-ACB10000	1000	
SET-D-ACB12000	1200	

Insulator Carrier SET-D-IT...




Details

Thickness: 2,00mm
GZRS 1311

Product Code	Dimensions	
	L (mm)	
SET-D-IT1200	200	
SET-D-IT1250	250	
SET-D-IT1300	300	
SET-D-IT2200	200	
SET-D-IT2250	250	
SET-D-IT2300	300	
SET-D-IT3200	200	
SET-D-IT3250	250	
SET-D-IT3300	300	

Canopy SET-D-PS...




Details


Thickness: 1,50 mm

RAL7035W Electrostatic
Powder Coating

Product Code	Dimensions	
	W (mm)	D (mm)
SET-D-PS4040	400	400
SET-D-PS5040	500	
SET-D-PS6040	600	
SET-D-PS7040	700	
SET-D-PS8040	800	500
SET-D-PS4050	400	
SET-D-PS5050	500	
SET-D-PS6050	600	
SET-D-PS7050	700	600
SET-D-PS8050	800	
SET-D-PS4060	400	
SET-D-PS5060	500	
SET-D-PS6060	600	800
SET-D-PS7060	700	
SET-D-PS8060	800	
SET-D-PS4080	400	
SET-D-PS5080	500	800
SET-D-PS6080	600	
SET-D-PS7080	700	
SET-D-PS8080	800	



Connection Kit SET-D-CK...



Details

1 set
(with 4 pieces Corner and 4 pcs
Middle connection parts)

Product Code
SET-D-CK0000

WALLMOUNT ENCLOSURES

- Indoor Type (IP41/IP55) IK10
- Outdoor Type (IP65/IP66) IK10
- Double Door Indoor Type (IP41/IP55) IK10
- Modular Type (IP31) IK10
- Semi Modular Type (IP31) IK10
- Fuse Boxes



WALLMOUNT ENCLOSURES

Indoor Type (IP41/IP55) IK10
Outdoor Type (IP65/IP66) IK10



WALLMOUNT ENCLOSURES

Indoor Type (IP41/IP55) IK10
Outdoor Type (IP65/IP66) IK10

Wide Availability of Standard Sizes :

Setlak has a wide availability of standard size in all the mild steel enclosures. This allows Setlak to offer mild steel enclosures that can suit most applications directly from stock, ensuring reduced delivery times and better conditions.

Removable Door Profiles :

Setlak's vertical door profiles can be removed. Since they almost reach the full door height, removing them frees extensive door space that can be used to place electrical equipment, cable ducts, push buttons etc.

Earthing Facilities :

Earthing connections are done by means of earthing studs placed on the enclosure body and door. The studs are M8 size in all enclosures and include a circular base that ensures the earthing cable is fitted properly in order to avoid faulty protective circuits

WALLMOUNT ENCLOSURES

Indoor Type (IP41/IP55) IK10



PAINT : RAL7035W Electrostatic Powder Coating

GASKET : Poliuretan Liquid Gasket

PROTECTION : IP41/IP55 (Indoor Type) - IK10

AVAILABLE DIMENSION : Width: 300-800mm Height: 400-1200mm Depth: 150-300mm

DOOR : Quarter Turn - Spring Loaded Locks and Corner Hinge or Concealed Hinge
Front door can be open up to 180°

MATERIAL :

Cargass : 1,0 mm<1000≤ 1,2 mm painted steel

Door :1,0 mm<1000≤ 1,2 mm painted steel

Mounting Plate : 1,0 mm<1000≤ 1,2 mm galvanized steel

Internal Parts: 1,2 mm<1000≤ 1,5 mm galvanized steel

Cover Plate:1,0 mm painted steel

OPTIONS : The enclosures have the ability to use both mounting plate and interior covers in the same body.
No need to change the enclosure for different applications.

BODY : Welded type. Four 7.5 mm diameter holes for wall fixing at the rear part of the enclosure.

MOUNTING PLATE : Supplied as an accessory with multiple size options.

CERTIFICATES : CE, IEC,TSE,ISO,GOST.

WALLMOUNT ENCLOSURES

Indoor Type (IP41/IP54) IK10

Surface Mounted Distribution Boards (IP41-IP54) IK10

Product Code	Dimensions			Blind Door	Glazed Door	Mounting Plate	MP usable dimensions		Plint h:100 (mm)	Plint h:200 (mm)	
	W(mm)	H(mm)	D(mm)				W(mm)	H(mm)			
SET-T-WI304015	300		150	SET-T-FD3040	SET-T-GD3040	SET-T-TS3040	270	330	SET-T-BS3115	SET-T-BS3215	
SET-T-WI304020			200						SET-T-BS3120	SET-T-BS3220	
SET-T-WI404015	400	400	150	SET-T-FD4040	SET-T-GD4040	SET-T-TS4040	370	430	SET-T-BS4115	SET-T-BS4215	
SET-T-WI404020			200						SET-T-BS4120	SET-T-BS4220	
SET-T-WI405015		500	150	SET-T-FD4050	SET-T-GD4050	SET-T-TS4050		430	SET-T-BS4115	SET-T-BS4215	
SET-T-WI405020			200						SET-T-BS4120	SET-T-BS4220	
SET-T-WI405025		250					SET-T-BS4125	SET-T-BS4225			
SET-T-WI406015	600	600	150	SET-T-FD4060	SET-T-GD4060	SET-T-TS4060	530	530	SET-T-BS4115	SET-T-BS4215	
SET-T-WI406020			200						SET-T-BS4120	SET-T-BS4220	
SET-T-WI406025			250					SET-T-BS4125	SET-T-BS4225		
SET-T-WI505015		500	500	150	SET-T-FD5050	SET-T-GD5050		SET-T-TS5050	430	SET-T-BS5115	SET-T-BS5215
SET-T-WI505020	200			SET-T-BS5120			SET-T-BS5220				
SET-T-WI505025	250			SET-T-BS5125			SET-T-BS5225				
SET-T-WI506015	600		150	SET-T-FD5060	SET-T-GD5060	SET-T-TS5060	470	530	SET-T-BS5115	SET-T-BS5215	
SET-T-WI506020			200						SET-T-BS5120	SET-T-BS5220	
SET-T-WI506025			250						SET-T-BS5125	SET-T-BS5225	
SET-T-WI507015	700		700	150	SET-T-FD5070	SET-T-GD5070	SET-T-TS5070	630	SET-T-BS5115	SET-T-BS5215	
SET-T-WI507020				200					SET-T-BS5120	SET-T-BS5220	
SET-T-WI507025		250		SET-T-BS5125					SET-T-BS5225		
SET-T-WI508020	800	800	200	SET-T-FD5080	SET-T-GD5080	SET-T-TS5080	730	SET-T-BS5120	SET-T-BS5220		
SET-T-WI508025			250					SET-T-BS5125	SET-T-BS5225		
SET-T-WI606020		600	600	200	SET-T-FD6060	SET-T-GD6060		SET-T-TS6060	530	SET-T-BS6120	SET-T-BS6220
SET-T-WI606025				250						SET-T-BS6125	SET-T-BS6225
SET-T-WI608020	800		200	SET-T-FD6080	SET-T-GD6080	SET-T-TS6080	730	SET-T-BS6120	SET-T-BS6220		
SET-T-WI608025			250					SET-T-BS6125	SET-T-BS6225		
SET-T-WI608030			300					SET-T-BS6130	SET-T-BS6230		
SET-T-WI6010020	1000		1000	200	SET-T-FD60100	SET-T-GD60100	SET-T-TS60100	930	SET-T-BS6120	SET-T-BS6220	
SET-T-WI6010025				250					SET-T-BS6125	SET-T-BS6225	
SET-T-WI6010030			300	SET-T-BS6130	SET-T-BS6230						
SET-T-WI6012020		1200	1200	200	SET-T-FD60120	SET-T-GD60120	SET-T-TS60120		1130	SET-T-BS6120	SET-T-BS6220
SET-T-WI6012025	250			SET-T-BS6125				SET-T-BS6225			
SET-T-WI6012030	300		SET-T-BS6130	SET-T-BS6230							
SET-T-WI808020	800		800	200	SET-T-FD8080	SET-T-GD8080	SET-T-TS8080	730		SET-T-BS8120	SET-T-BS8220
SET-T-WI808025		250		SET-T-BS8125					SET-T-BS8225		
SET-T-WI808030		300		SET-T-BS8130					SET-T-BS8230		
SET-T-WI8010020		1000	1000	200	SET-T-FD80100	SET-T-GD80100	SET-T-TS80100	930	SET-T-BS8120	SET-T-BS8220	
SET-T-WI8010025				250					SET-T-BS8125	SET-T-BS8225	
SET-T-WI8010030			300	SET-T-BS8130	SET-T-BS8230						
SET-T-WI8012020			1200	1200	200	SET-T-FD80120	SET-T-GD80120		SET-T-TS80120	1130	SET-T-BS8120
SET-T-WI8012025		250			SET-T-BS8125			SET-T-BS8225			
SET-T-WI8012030	300	SET-T-BS8130		SET-T-BS8230							

WALLMOUNT ENCLOSURES

Indoor Type (IP55) IK10

Surface Mounted Distribution Boards (IP55) IK10

Product Code	Dimensions			Blind Door	Glazed Door	Mounting Plate	MP usable dimensions		Plint h:100 (mm)	Plint h:200 (mm)
	W(mm)	H(mm)	D(mm)				W(mm)	H(mm)		
SET-T-WH304015	300	400	150	SET-T-FD3040	SET-T-GD3040	SET-T-TS3040	270	330	SET-T-BS3115	SET-T-BS3215
SET-T-WH304020			200						SET-T-BS3120	SET-T-BS3220
SET-T-WH404015	400	500	150	SET-T-FD4040	SET-T-GD4040	SET-T-TS4040	370	430	SET-T-BS4115	SET-T-BS4215
SET-T-WH404020			200						SET-T-BS4120	SET-T-BS4220
SET-T-WH405015	400	500	150	SET-T-FD4050	SET-T-GD4050	SET-T-TS4050	370	430	SET-T-BS4115	SET-T-BS4215
SET-T-WH405020			200						SET-T-BS4120	SET-T-BS4220
SET-T-WH405025	400	500	250	SET-T-FD4060	SET-T-GD4060	SET-T-TS4060	370	530	SET-T-BS4125	SET-T-BS4225
SET-T-WH406015			600						150	SET-T-BS4115
SET-T-WH406020	600	600		200	SET-T-BS4120	SET-T-BS4220				
SET-T-WH406025			600	600	250	SET-T-BS4125	SET-T-BS4225			
SET-T-WH505015	500	500			150	SET-T-FD5050	SET-T-GD5050	SET-T-TS5050	470	430
SET-T-WH505020			200	SET-T-BS5120	SET-T-BS5220					
SET-T-WH505025	500	500	250	SET-T-FD5060	SET-T-GD5060	SET-T-TS5060	470	530	SET-T-BS5125	SET-T-BS5225
SET-T-WH506015			600						150	SET-T-BS5115
SET-T-WH506020	600	600		200	SET-T-BS5120	SET-T-BS5220				
SET-T-WH506025			600	600	250	SET-T-BS5125	SET-T-BS5225			
SET-T-WH507015	500	700			150	SET-T-FD5070	SET-T-GD5070	SET-T-TS5070	630	630
SET-T-WH507020			200	SET-T-BS5120	SET-T-BS5220					
SET-T-WH507025	500	700	250	SET-T-FD5080	SET-T-GD5080	SET-T-TS5080	630	730	SET-T-BS5125	SET-T-BS5225
SET-T-WH508020			800						200	SET-T-BS5120
SET-T-WH508025	800	800		250	SET-T-BS5125	SET-T-BS5225				
SET-T-WH606020			600	600	200	SET-T-FD6060	SET-T-GD6060	SET-T-TS6060	570	530
SET-T-WH606025	600	600			250					
SET-T-WH608020			600	800	200	SET-T-FD6080	SET-T-GD6080	SET-T-TS6080	730	730
SET-T-WH608025	600	800			250					
SET-T-WH608030			600	800	300	SET-T-BS6130	SET-T-BS6230			
SET-T-WH6010020	600	1000			200	SET-T-FD60100	SET-T-GD60100	SET-T-TS60100	930	930
SET-T-WH6010025			600	1000	250					
SET-T-WH6010030	600	1000			300	SET-T-BS6130	SET-T-BS6230			
SET-T-WH6012020			600	1200	200	SET-T-FD60120	SET-T-GD60120	SET-T-TS60120	1130	1130
SET-T-WH6012025	600	1200			250					
SET-T-WH6012030			600	1200	300	SET-T-BS6130	SET-T-BS6230			
SET-T-WH808020	800	800			200	SET-T-FD8080	SET-T-GD8080	SET-T-TS8080	770	730
SET-T-WH808025			800	800	250					
SET-T-WH808030	800	800			300	SET-T-BS8130	SET-T-BS8230			
SET-T-WH8010020			800	1000	200	SET-T-FD80100	SET-T-GD80100	SET-T-TS80100	930	930
SET-T-WH8010025	800	1000			250					
SET-T-WH8010030			800	1000	300	SET-T-BS8130	SET-T-BS8230			
SET-T-WH8012020	800	1200			200	SET-T-FD80120	SET-T-GD80120	SET-T-TS80120	1130	1130
SET-T-WH8012025			800	1200	250					
SET-T-WH8012030	800	1200			300	SET-T-BS8130	SET-T-BS8230			

WALLMOUNT ENCLOSURES

Outdoor Type (IP65/IP66) IK10



PAINT : RAL7035W Electrostatic Powder Coating

GASKET : Poliuretan Liquid Gasket

PROTECTION : IP65/IP66 (Outdoor Type) - IK10

AVAILABLE DIMENSION : Width: 300-800mm Height: 400-1200mm Depth: 150-300mm

DOOR : Quarter Turn - Spring Loaded Locks and Corner Hinge or Concealed Hinge
Front door can be open up to 180°

MATERIAL:

Cargass : 1,0 mm<1000≤ 1,2 mm painted steel

Door :1,0 mm<1000≤ 1,2 mm painted steel

Mounting Plate : 1,0 mm<1000≤ 1,2 mm galvanized steel

Internal Parts: 1,2 mm<1000≤ 1,5 mm galvanized steel

Cover Plate:1,0 mm painted steel

OPTIONS : The enclosures have the ability to use both mounting plate and interior covers in the same body. No need to change the enclosure for different applications.

BODY : Welded type. Four 7.5 mm diameter holes for wall fixing at the rear part of the enclosure.

MOUNTING PLATE : Supplied as an accessory with multiple size options.

CERTIFICATES : CE, IEC,TSE,ISO,GOST.

WALLMOUNT ENCLOSURES

Outdoor Type (IP65/IP66) IK10

Surface Mounted Distribution Boards (IP65-IP66) IK10

Product Code	Dimensions			Blind Door	Glazed Door	Mounting Plate	MP usable dimensions		Plint h:100 (mm)	Plint h:200 (mm)
	W(mm)	H(mm)	D(mm)				W(mm)	H(mm)		
SET-T-WHP304015	300	400	150	SET-T-FD3040	-	SET-T-TS3040	270	330	SET-T-BS3115	SET-T-BS3215
SET-T-WHP304020			200		-				SET-T-BS3120	SET-T-BS3220
SET-T-WHP404015	400	500	150	SET-T-FD4040	-	SET-T-TS4040	370	430	SET-T-BS4115	SET-T-BS4215
SET-T-WHP404020			200		-				SET-T-BS4120	SET-T-BS4220
SET-T-WHP405015	400	500	150	SET-T-FD4050	-	SET-T-TS4050	370	430	SET-T-BS4115	SET-T-BS4215
SET-T-WHP405020			200		-				SET-T-BS4120	SET-T-BS4220
SET-T-WHP405025	400	500	250	SET-T-FD4050	-	SET-T-TS4050	370	430	SET-T-BS4125	SET-T-BS4225
SET-T-WHP406015			600		600				150	SET-T-FD4060
SET-T-WHP406020	200	-		SET-T-BS4120		SET-T-BS4220				
SET-T-WHP406025	600	600	250	SET-T-FD4060	-	SET-T-TS4060	370	530	SET-T-BS4125	SET-T-BS4225
SET-T-WHP505015			500		500				150	SET-T-FD5050
SET-T-WHP505020	200	-		SET-T-BS5120		SET-T-BS5220				
SET-T-WHP505025	500	500	250	SET-T-FD5050	-	SET-T-TS5050	470	430	SET-T-BS5125	SET-T-BS5225
SET-T-WHP506015			600		600				150	SET-T-FD5060
SET-T-WHP506020	200	-		SET-T-BS5120		SET-T-BS5220				
SET-T-WHP506025	600	600	250	SET-T-FD5060	-	SET-T-TS5060	470	530	SET-T-BS5125	SET-T-BS5225
SET-T-WHP507015			700		700				150	SET-T-FD5070
SET-T-WHP507020	200	-		SET-T-BS5120		SET-T-BS5220				
SET-T-WHP507025	700	700	250	SET-T-FD5070	-	SET-T-TS5070	630	630	SET-T-BS5125	SET-T-BS5225
SET-T-WHP508020			800		800				200	SET-T-FD5080
SET-T-WHP508025	250	-		SET-T-BS5125		SET-T-BS5225				
SET-T-WHP606020	600	600	200	SET-T-FD6060	-	SET-T-TS6060	570	530	SET-T-BS6120	SET-T-BS6220
SET-T-WHP606025			250		-				SET-T-BS6125	SET-T-BS6225
SET-T-WHP608020	600	800	200	SET-T-FD6080	-	SET-T-TS6080	570	730	SET-T-BS6120	SET-T-BS6220
SET-T-WHP608025			250		-				SET-T-BS6125	SET-T-BS6225
SET-T-WHP608030	600	800	300	SET-T-FD6080	-	SET-T-TS6080	570	730	SET-T-BS6130	SET-T-BS6230
SET-T-WHP6010020			1000		1000				200	SET-T-FD60100
SET-T-WHP6010025	250	-		SET-T-BS6125		SET-T-BS6225				
SET-T-WHP6010030	1000	1000	300	SET-T-FD60100	-	SET-T-TS60100	930	930	SET-T-BS6130	SET-T-BS6230
SET-T-WHP6012020			1200		1200				200	SET-T-FD60120
SET-T-WHP6012025	250	-		SET-T-BS6125		SET-T-BS6225				
SET-T-WHP6012030	1200	1200	300	SET-T-FD60120	-	SET-T-TS60120	1130	1130	SET-T-BS6130	SET-T-BS6230
SET-T-WHP808020			800		800				200	SET-T-FD8080
SET-T-WHP808025	250	-		SET-T-BS8125		SET-T-BS8225				
SET-T-WHP808030	800	800	300	SET-T-FD8080	-	SET-T-TS8080	770	930	SET-T-BS8130	SET-T-BS8230
SET-T-WHP8010020			1000		1000				200	SET-T-FD80100
SET-T-WHP8010025	250	-		SET-T-BS8125		SET-T-BS8225				
SET-T-WHP8010030	1000	1000	300	SET-T-FD80100	-	SET-T-TS80100	770	930	SET-T-BS8130	SET-T-BS8230
SET-T-WHP8012020			1200		1200				200	SET-T-FD80120
SET-T-WHP8012025	250	-		SET-T-BS8125		SET-T-BS8225				
SET-T-WHP8012030	1200	1200	300	SET-T-FD80120	-	SET-T-TS80120	1130	1130	SET-T-BS8130	SET-T-BS8230



WALLMOUNT ENCLOSURES

Double Door Indoor Type (IP41/IP55) IK10



WALLMOUNT ENCLOSURES

Double Door Indoor Type (IP41/IP55) IK10

PAINT : RAL7035W Electrostatic Powder Coating

GASKET : Poliuretan Liquid Gasket

PROTECTION : IP41/IP55 (Double Door) - IK10

AVAILABLE DIMENSION : Width: 1000-1200mm Height: 1000-1400mm Depth: 200-300mm

DOOR : Rod Latch Lock Systems and Concealed Hinge
Front door can be open up to 180°

MATERIAL :

Cargass : 1,2 mm painted steel

Door : 1,5 mm painted steel

Mounting Plate : 1,5 mm galvanized steel

Internal Parts: 1,5 mm galvanized steel

OPTIONS : The enclosures have the ability to use both mounting plate and interior covers in the same body. No need to change the enclosure for different applications.

BODY : Welded type. Four 7.5 mm diameter holes for wall fixing at the rear part of the enclosure.

MOUNTING PLATE : Supplied as an accessory with multiple size options.

CERTIFICATES : CE, IEC, TSE, ISO, GOST.

WALLMOUNT ENCLOSURES

Double Door Indoor Type (IP41/IP54) IK10

Double Door Indoor Type (IP55) IK10


Surface Mounted Distribution Boards (IP41-IP54) IK10

Product Code	Dimensions			Blind Door	Glazed Door	Mounting Plate	MP usable dimensions		Plint h:100 (mm)	Plint h:200 (mm)	
	W(mm)	H(mm)	D(mm)				W(mm)	H(mm)			
SET-T-DI10010020	1000	1000	200	SET-T-FD100100	-	SET-T-TS100100	970	930	SET-T-BS10120	SET-T-BS10220	
SET-T-DI10010025			250		-				SET-T-BS10125	SET-T-BS10225	
SET-T-DI10010030			300		-				SET-T-BS10130	SET-T-BS10230	
SET-T-DI10011020		1100	1100	200	SET-T-FD100110	-		SET-T-TS100110	1030	SET-T-BS10120	SET-T-BS10220
SET-T-DI10011025				250		-				SET-T-BS10125	SET-T-BS10225
SET-T-DI10011030				300		-				SET-T-BS10130	SET-T-BS10230
SET-T-DI10012020		1200	1200	200	SET-T-FD100120	-		SET-T-TS100120	1130	SET-T-BS10120	SET-T-BS10220
SET-T-DI10012025				250		-				SET-T-BS10125	SET-T-BS10225
SET-T-DI10012030				300		-				SET-T-BS10130	SET-T-BS10230
SET-T-DI10014020		1400	1400	200	SET-T-FD100140	-		SET-T-TS100140	1330	SET-T-BS10120	SET-T-BS10220
SET-T-DI10014025				250		-				SET-T-BS10125	SET-T-BS10225
SET-T-DI10014030				300		-				SET-T-BS10130	SET-T-BS10230
SET-T-DI12010020	1200	1000	200	SET-T-FD120100	-	SET-T-TS120100	1170	930	SET-T-BS12120	SET-T-BS12220	
SET-T-DI12010025			250		-				SET-T-BS12125	SET-T-BS12225	
SET-T-DI12010030			300		-				SET-T-BS12130	SET-T-BS12230	
SET-T-DI12011020		1100	1100	200	SET-T-FD120110	-		SET-T-TS120110	1030	SET-T-BS12120	SET-T-BS12220
SET-T-DI12011025				250		-				SET-T-BS12125	SET-T-BS12225
SET-T-DI12011030				300		-				SET-T-BS12130	SET-T-BS12230
SET-T-DI12012020		1200	1200	200	SET-T-FD120120	-		SET-T-TS120120	1130	SET-T-BS12120	SET-T-BS12220
SET-T-DI12012025				250		-				SET-T-BS12125	SET-T-BS12225
SET-T-DI12012030				300		-				SET-T-BS12130	SET-T-BS12230
SET-T-DI12014020		1400	1400	200	SET-T-FD120140	-		SET-T-TS120140	1330	SET-T-BS12120	SET-T-BS12220
SET-T-DI12014025				250		-				SET-T-BS12125	SET-T-BS12225
SET-T-DI12014030				300		-				SET-T-BS12130	SET-T-BS12230

Surface Mounted Distribution Boards (IP55) IK10

Product Code	Dimensions			Blind Door	Glazed Door	Mounting Plate	MP usable dimensions		Plint h:100 (mm)	Plint h:200 (mm)	
	W(mm)	H(mm)	D(mm)				W(mm)	H(mm)			
SET-T-DD10010020	1000	1000	200	SET-T-FD100100	-	SET-T-TS100100	970	930	SET-T-BS10120	SET-T-BS10220	
SET-T-DD10010025			250		-				SET-T-BS10125	SET-T-BS10225	
SET-T-DD10010030			300		-				SET-T-BS10130	SET-T-BS10230	
SET-T-DD10011020		1100	1100	200	SET-T-FD100110	-		SET-T-TS100110	1030	SET-T-BS10120	SET-T-BS10220
SET-T-DD10011025				250		-				SET-T-BS10125	SET-T-BS10225
SET-T-DD10011030				300		-				SET-T-BS10130	SET-T-BS10230
SET-T-DD10012020		1200	1200	200	SET-T-FD100120	-		SET-T-TS100120	1130	SET-T-BS10120	SET-T-BS10220
SET-T-DD10012025				250		-				SET-T-BS10125	SET-T-BS10225
SET-T-DD10012030				300		-				SET-T-BS10130	SET-T-BS10230
SET-T-DD10014020		1400	1400	200	SET-T-FD100140	-		SET-T-TS100140	1330	SET-T-BS10120	SET-T-BS10220
SET-T-DD10014025				250		-				SET-T-BS10125	SET-T-BS10225
SET-T-DD10014030				300		-				SET-T-BS10130	SET-T-BS10230
SET-T-DD12010020	1200	1000	200	SET-T-FD120100	-	SET-T-TS120100	1170	930	SET-T-BS12120	SET-T-BS12220	
SET-T-DD12010025			250		-				SET-T-BS12125	SET-T-BS12225	
SET-T-DD12010030			300		-				SET-T-BS12130	SET-T-BS12230	
SET-T-DD12011020		1100	1100	200	SET-T-FD120110	-		SET-T-TS120110	1030	SET-T-BS12120	SET-T-BS12220
SET-T-DD12011025				250		-				SET-T-BS12125	SET-T-BS12225
SET-T-DD12011030				300		-				SET-T-BS12130	SET-T-BS12230
SET-T-DD12012020		1200	1200	200	SET-T-FD120120	-		SET-T-TS120120	1130	SET-T-BS12120	SET-T-BS12220
SET-T-DD12012025				250		-				SET-T-BS12125	SET-T-BS12225
SET-T-DD12012030				300		-				SET-T-BS12130	SET-T-BS12230
SET-T-DD12014020		1400	1400	200	SET-T-FD120140	-		SET-T-TS120140	1330	SET-T-BS12120	SET-T-BS12220
SET-T-DD12014025				250		-				SET-T-BS12125	SET-T-BS12225
SET-T-DD12014030				300		-				SET-T-BS12130	SET-T-BS12230

WALLMOUNT ENCLOSURES ACCESSORIES



WALLMOUNT ENCLOSURES MODULAR TYPE PANELS ACCESSORIES

Dimensions			Cover Profile (Vertical)	Cover Profile (Horizontal)	Interior Mounting Profile	MCB - Cover Plate		MCB Carrier	
W(mm)	H(mm)	D(mm)				h:150 (mm)	h:200 (mm)		
300	400	150	SET-T-OV0400	SET-T-OH0300	SET-T-MP0400	SET-T-OW3150	SET-T-OW3200	SET-T-MW3000	
		200							
400	500	150	SET-T-OV0500	SET-T-OH0400	SET-T-MP0500	SET-T-OW4150	SET-T-OW4200	SET-T-MW4000	
		200							
		250							
	600	200	150		SET-T-OV0600				SET-T-MP0600
			250						
			250						
500	500	150	SET-T-OV0500	SET-T-OH0500	SET-T-MP0500	SET-T-OW5150	SET-T-OW5200	SET-T-MW5000	
		250							
		250							
	600	200	150		SET-T-OV0600				SET-T-MP0600
			250						
			250						
	700	200	150		SET-T-OV0700				SET-T-MP0700
			250						
			250						
			250						
800	200	150	SET-T-OV0800	SET-T-MP0800					
		250							
600	600	200	SET-T-OV0600	SET-T-OH0600	SET-T-MP0600	SET-T-OW6150	SET-T-OW6200	SET-T-MW6000	
		250							
	800	250	200		SET-T-OV0800				SET-T-MP0800
			300						
			300						
	1000	250	200		SET-T-OV01000				SET-T-MP01000
			300						
			300						
			300						
	1200	250	200		SET-T-OV01200				SET-T-MP01200
300									
300									
300									
800	800	200	SET-T-OV0800	SET-T-OH0800	SET-T-MP0800	SET-T-OW8150	SET-T-OW8200	SET-T-MW8000	
		300							
		300							
	1000	250	200		SET-T-OV01000				SET-T-MP01000
			300						
			300						
	1200	250	200		SET-T-OV01200				SET-T-MP01200
			300						
300									

WALLMOUNT ENCLOSURES MODULAR TYPE PANELS ACCESSORIES

Cover Plate (Imperforated)				Mounting Plate			Rail/Cable Carrier	Cable Connection	Canopy
h:150 (mm)	h:200 (mm)	h:250 (mm)	h:300 (mm)	h:150 (mm)	h:200 (mm)	h:250 (mm)			
SET-T-OB3150	SET-T-OB3200	SET-T-OB3250	SET-T-OB3300	SET-T-TS3150	SET-T-TS3200	SET-T-TS3250	SET-T-RC3000	SET-T-CC3000	SET-T-PS3015
									SET-T-PS3020
SET-T-OB4150	SET-T-OB4200	SET-T-OB4250	SET-T-OB4300	SET-T-TS4150	SET-T-TS4200	SET-T-TS4250	SET-T-RC4000	SET-T-CC4000	SET-T-PS4015
									SET-T-PS4020
									SET-T-PS4015
									SET-T-PS4020
SET-T-OB5150	SET-T-OB5200	SET-T-OB5250	SET-T-OB5300	SET-T-TS5150	SET-T-TS5200	SET-T-TS5250	SET-T-RC5000	SET-T-CC5000	SET-T-PS4025
									SET-T-PS4015
									SET-T-PS4020
									SET-T-PS4025
SET-T-OB6150	SET-T-OB6200	SET-T-OB6250	SET-T-OB6300	SET-T-TS6150	SET-T-TS6200	SET-T-TS6250	SET-T-RC6000	SET-T-CC6000	SET-T-PS5015
									SET-T-PS5020
									SET-T-PS5025
									SET-T-PS5015
									SET-T-PS5020
									SET-T-PS5015
									SET-T-PS5020
									SET-T-PS5025
SET-T-PS6020									
SET-T-OB8150	SET-T-OB8200	SET-T-OB8250	SET-T-OB8300	SET-T-TS8150	SET-T-TS8200	SET-T-TS8250	SET-T-RC8000	SET-T-CC8000	SET-T-PS6025
									SET-T-PS6020
									SET-T-PS6020
									SET-T-PS6025
									SET-T-PS6030
									SET-T-PS6020
									SET-T-PS6025
									SET-T-PS6030
SET-T-OB8150	SET-T-OB8200	SET-T-OB8250	SET-T-OB8300	SET-T-TS8150	SET-T-TS8200	SET-T-TS8250	SET-T-RC8000	SET-T-CC8000	SET-T-PS6030
									SET-T-PS6020
									SET-T-PS6025
									SET-T-PS6030
									SET-T-PS6020
									SET-T-PS6025
SET-T-OB8150	SET-T-OB8200	SET-T-OB8250	SET-T-OB8300	SET-T-TS8150	SET-T-TS8200	SET-T-TS8250	SET-T-RC8000	SET-T-CC8000	SET-T-PS8020
									SET-T-PS8025
									SET-T-PS8030
									SET-T-PS8020
									SET-T-PS8025
									SET-T-PS8030

WALLMOUNT ENCLOSURES MODULAR TYPE PANELS ACCESSORIES

Blind Door

SET-T-FD...



Details

Thickness: 1,00 mm
Quarter Turn-Spring
Loaded Lock
and Concealed Hinges
RAL7035W Electro
Static Powder Coating
With Poliuretán Liquid
Gasket

Thickness: 1,20 mm
Quarter Turn-Spring
Loaded Lock
and Concealed Hinges
RAL7035W
With Poliuretán Liquid Gasket

Double Door
Thickness: 1,50 mm
Quarter Turn-Spring
Loaded Lock
and Concealed Hinges
RAL7035W
With Poliuretán Liquid Gasket

Product Code	Dimensions	
	W (mm)	H (mm)
SET-T-FD3040	300	400
SET-T-FD4040	400	400
SET-T-FD4050		500
SET-T-FD4060		600
SET-T-FD5050	500	500
SET-T-FD5060		600
SET-T-FD5070		700
SET-T-FD5080		800
SET-T-FD6060	600	600
SET-T-FD6080	600	800
SET-T-FD8080	800	800
SET-T-FD60100	600	1000
SET-T-FD60120	800	1200
SET-T-FD80100		1000
SET-T-FD80120		1200
SET-T-FD100100		1000
SET-T-FD100110	1000	1100
SET-T-FD100120		1200
SET-T-FD100140		1400
SET-T-FD120100	1200	1000
SET-T-FD120110		1100
SET-T-FD120120		1200
SET-T-FD120140		1400

Mounting Plate

SET-T-TS...



Details

Thickness: 1,00 mm
GZRS 1311


Thickness: 1,20 mm
GZRS 1311

Thickness: 1,50 mm
GZRS 1311

Product Code	Dimensions	
	W (mm)	H (mm)
SET-T-TS3040	270	330
SET-T-TS4040	370	330
SET-T-TS4050		430
SET-T-TS4060		530
SET-T-TS5050	470	430
SET-T-TS5060		530
SET-T-TS5070		630
SET-T-TS5080		730
SET-T-TS6060	570	530
SET-T-TS6080	570	730
SET-T-TS8080	770	730
SET-T-TS60100	570	930
SET-T-TS60120	770	1130
SET-T-TS80100		930
SET-T-TS80120		1130
SET-T-TS100100		930
SET-T-TS100110	970	1030
SET-T-TS100120		1130
SET-T-TS100140		1330
SET-T-TS120100	1170	930
SET-T-TS120110		1030
SET-T-TS120120		1130
SET-T-TS120140		1330

Glazed Door

SET-T-GD...



Details


Thickness: 1,00 mm
Quarter Turn-Spring
Loaded Lock
and Concealed Hinges
RAL7035W Electro Static
Powder Coating
With Poliuretán Liquid Gasket
3 mm Transparent Tempered Glass
(Alternatively, Polycarbonate
options are available)

Thickness: 1,20 mm
Quarter Turn-Spring
Loaded Lock
and Concealed Hinges
RAL7035W
With Poliuretán Liquid
Gasket

Product Code	Dimensions	
	W (mm)	H (mm)
SET-T-GD3040	300	400
SET-T-GD4040	400	400
SET-T-GD4050		500
SET-T-GD4060		600
SET-T-GD5050	500	500
SET-T-GD5060		600
SET-T-GD5070		700
SET-T-GD5080		800
SET-T-GD6060	600	600
SET-T-GD6080	600	800
SET-T-GD8080	800	800
SET-T-GD60100	600	1000
SET-T-GD60120	800	1200
SET-T-GD80100		1000
SET-T-GD80120		1200

Cover Profile (Vertical)

SET-T-OV...



Details

Thickness: 1,20 mm
RAL7035W Electro Static
Powder Coating
1 Set (2pcs.)

Product Code	Dimensions	
	H (mm)	
SET-T-OV0400	400	
SET-T-OV0500	500	
SET-T-OV0600	600	
SET-T-OV0800	800	
SET-T-OV01000	1000	
SET-T-OV01200	1200	

WALLMOUNT ENCLOSURES MODULAR TYPE PANELS ACCESSORIES

Plint h:100 (mm)

SET-T-BS...

Details



Thickness: 1,00 mm
RAL7035W Electro Static
Powder Coating

Thickness: 1,20 mm
RAL7035W Electro Static
Powder Coating

Thickness: 1,50 mm
RAL7035W Electro Static
Powder Coating

Product Code	Dimensions		
	W (mm)	H (mm)	D (mm)
SET-T-BS3115	300	100	150
SET-T-BS3120			200
SET-T-BS4115			150
SET-T-BS4120	200		
SET-T-BS4125	250		
SET-T-BS5115	500		150
SET-T-BS5120			200
SET-T-BS5125			250
SET-T-BS6120	600		200
SET-T-BS6125			250
SET-T-BS6130		300	
SET-T-BS8120	800	200	
SET-T-BS8125		250	
SET-T-BS8130		300	
SET-T-BS10120	1000	200	
SET-T-BS10125		250	
SET-T-BS10130		300	
SET-T-BS12120	1200	200	
SET-T-BS12125		250	
SET-T-BS12130		300	
SET-T-BS3215	300	200	150
SET-T-BS3220			200
SET-T-BS4215			150
SET-T-BS4220	200		
SET-T-BS4225	250		
SET-T-BS5215	500		150
SET-T-BS5220			200
SET-T-BS5225			250
SET-T-BS6220	600		200
SET-T-BS6225			250
SET-T-BS6230		300	
SET-T-BS8220	800	200	
SET-T-BS8225		250	
SET-T-BS8230		300	
SET-T-BS10220	1000	200	
SET-T-BS10225		250	
SET-T-BS10230		300	
SET-T-BS12220	1200	200	
SET-T-BS12225		250	
SET-T-BS12230		300	

Cover Profile (Horizontal)

SET-T-OH...

Details



Thickness: 1,00 mm
RAL7035W
1 Set (2pcs.)

Product Code	Dimensions
	W (mm)
SET-T-OH0300	300
SET-T-OH0400	400
SET-T-OH0500	500
SET-T-OH0600	600
SET-T-OH0800	800

Interior Mounting Profile

SET-T-MP...



Details


Thickness: 1,20 mm
GZRS 1311
1 Set (2pcs.)

Product Code	Dimensions
	H (mm)
SET-T-MP0400	400
SET-T-MP0500	500
SET-T-MP0600	600
SET-T-MP0800	800
SET-T-MP1000	1000
SET-T-MP1200	1200

MCB - Cover Plate

SET-T-OW...

Details



Thickness: 1,00 mm
RAL7035W Electro Static
Powder Coating

Product Code	Dimensions		MCB
	W (mm)	H (mm)	
SET-T-OW3150	300	150	6 Mcb
SET-T-OW4150	400		12 Mcb
SET-T-OW5150	500		18 Mcb
SET-T-OW6150	600		24 Mcb
SET-T-OW8150	800		36 Mcb
SET-T-OW3200	300	200	6 Mcb
SET-T-OW4200	400		12 Mcb
SET-T-OW5200	500		18 Mcb
SET-T-OW6200	600		24 Mcb
SET-T-OW8200	800		36 Mcb

WALLMOUNT ENCLOSURES MODULAR TYPE PANELS ACCESSORIES

MCB Carrier

SET-T-MW...



Details

Thickness: 1,20 mm
GZRS 1311
With Mounting Accessories
Din Rail Included

Product Code	Dimensions		MCB
	W (mm)		
SET-T-MW3000	300		
SET-T-MW4000	400		
SET-T-MW5000	500		18 Mcb
SET-T-MW6000	600		24 Mcb
SET-T-MW8000	800		36 Mcb

Cover Plate (Imperford)

SET-T-OB...



Details

Thickness: 1,00 mm
RAL7035W Electro Static
Powder Coating

Product Code	Dimensions		H (mm)
	W (mm)		
SET-T-OB3150	300		150
SET-T-OB4150	400		
SET-T-OB5150	500		
SET-T-OB6150	600		
SET-T-OB8150	800		200
SET-T-OB3200	300		
SET-T-OB4200	400		
SET-T-OB5200	500		
SET-T-OB6200	600		250
SET-T-OB8200	800		
SET-T-OB3250	300		
SET-T-OB4250	400		
SET-T-OB5250	500		300
SET-T-OB6250	600		
SET-T-OB8250	800		
SET-T-OB3300	300		
SET-T-OB4300	400		300
SET-T-OB5300	500		
SET-T-OB6300	600		
SET-T-OB8300	800		

Rail/Cable Carrier

SET-T-RC...




Details

Thickness: 1,20 mm
GZRS 1311

Product Code	Dimensions	
	W (mm)	
SET-T-RC3000	300	
SET-T-RC4000	400	
SET-T-RC5000	500	
SET-T-RC6000	600	
SET-T-RC8000	800	

Mounting Plate

SET-T-TS...



Details

Thickness: 1,50 mm
GZRS 1311
With Mounting Accessories

Product Code	Dimensions	
	W (mm)	H (mm)
SET-T-TS3150	300	150
SET-T-TS4150	400	
SET-T-TS5150	500	
SET-T-TS6150	600	
SET-T-TS8150	800	200
SET-T-TS3200	300	
SET-T-TS4200	400	
SET-T-TS5200	500	
SET-T-TS6200	600	250
SET-T-TS8200	800	
SET-T-TS3250	300	
SET-T-TS4250	400	
SET-T-TS5250	500	250
SET-T-TS6250	600	
SET-T-TS8250	800	

Cable Connection

SET-T-CC...




Details

Thickness: 1,20 mm
GZRS 1311

Product Code	Dimensions	
	W (mm)	
SET-T-CC3000	300	
SET-T-CC4000	400	
SET-T-CC5000	500	
SET-T-CC6000	600	
SET-T-CC8000	800	

Canopy

SET-T-PS...



Details

Thickness: 1,00 mm
RAL7035W

Thickness: 1,20 mm
RAL7035W

Product Code	Dimensions	
	W (mm)	D (mm)
SET-T-PS3015	300	150
SET-T-PS3020		200
SET-T-PS4015	400	150
SET-T-PS4020		200
SET-T-PS4025		250
SET-T-PS5015	500	150
SET-T-PS5020		200
SET-T-PS5025		250
SET-T-PS6020	600	200
SET-T-PS6025		250
SET-T-PS6030		300
SET-T-PS8020	800	200
SET-T-PS8025		250
SET-T-PS8030		300



WALLMOUNT ENCLOSURES MODULAR TYPE



WALLMOUNT ENCLOSURES MODULAR TYPE

PAINT : RAL7035W Electrostatic Powder Coating

GASKET : Poliuretan Liquid Gasket

PROTECTION : IP31 (Indoor Type) - IK10

AVAILABLE DIMENSION : Width: 300-600mm Height: 400-800mm Depth: 200-300mm

DOOR : Quarter Turn - Spring Loaded Locks and Corner Hinge or Concealed Hinge

Front door can be open up to 180°

OPTIONS : The enclosures have the ability to use both mounting plate and interior covers in the same body. No need to change the enclosure for different applications.

BODY : Four 7.5 mm diameter holes for wall fixing at the rear part of the enclosure.

MOUNTING PLATE : Supplied as an accessory with multiple size options.

CERTIFICATES : CE, IEC, TSE, ISO, GOST.

Product Code	Dimensions			Mounting Plate	MP usable dimensions			
	W (mm)	H (mm)	D (mm)		W (mm)	H (mm)		
SET-T-DM304020	300	400	200	SET-T-DTS3040	270	330		
SET-T-DM304025			250					
SET-T-DM404020	400	400	200	SET-T-DTS4040	370	430		
SET-T-DM404025			250					
SET-T-DM405020		500	200	SET-T-DTS4050			430	
SET-T-DM405025			250					
SET-T-DM406020	600	600	200	SET-T-DTS4060	530			
SET-T-DM406025			250					
SET-T-DM505020	500	500	200	SET-T-DTS5050	470	630		
SET-T-DM505025			250					
SET-T-DM506020		600	600	200			SET-T-DTS5060	530
SET-T-DM506025				250				
SET-T-DM507020	700	700	200	SET-T-DTS5070	730			
SET-T-DM507025			250					
SET-T-DM507030			300					
SET-T-DM508020	800	800	200	SET-T-DTS5080	530			
SET-T-DM508025			250					
SET-T-DM508030			300					
SET-T-DM606020	600	600	200	SET-T-DTS6060	570	730		
SET-T-DM606025			250					
SET-T-DM606030		800	800	200			SET-T-DTS6080	730
SET-T-DM608020				250				
SET-T-DM608025	800	800	250	SET-T-DTS6080	730			
SET-T-DM608030			300					

WALLMOUNT ENCLOSURES SEMI MODULAR TYPE



WALLMOUNT ENCLOSURES SEMI MODULAR TYPE

PAINT : RAL7035W Electrostatic Powder Coating

GASKET : Poliuretan Liquid Gasket

PROTECTION : IP31 (Indoor Type) - IK10

AVAILABLE DIMENSION : Width: 500-1000mm Height: 1000-2000mm Depth: 250mm

DOOR : Quarter Turn - Spring Loaded Locks and Corner Hinge or Concealed Hinge
Front door can be open up to 180°

OPTIONS : The enclosures have the ability to use both mounting plate and interior covers in the same body. No need to change the enclosure for different applications.

BODY : Welded type. Four 7.5 mm diameter holes for wall fixing at the rear part of the enclosure.

MOUNTING PLATE : Supplied as an accessory with multiple size options.

CERTIFICATES : CE, IEC, TSE, ISO, GOST.

Product Code	Dimensions			Blind Door	Glazed Door	Plint h:100 (mm)
	W (mm)	H (mm)	D (mm)			
SET-W-FI51025	500	1000	250	SET-W-FD5100	SET-W-GD5100	SET-W-BS5025
SET-W-FI61025	600			SET-W-FD6100	SET-W-GD6100	SET-W-BS6025
SET-W-FI71025	700			SET-W-FD7100	SET-W-GD7100	SET-W-BS7025
SET-W-FI81025	800			SET-W-FD8100	SET-W-GD8100	SET-W-BS8025
SET-W-DI101025	1000			SET-W-FD10100	SET-W-GD10100	SET-W-BS10025
SET-W-FI51325	500	1300		SET-W-FD5130	SET-W-GD5130	SET-W-BS5025
SET-W-FI61325	600			SET-W-FD6130	SET-W-GD6130	SET-W-BS6025
SET-W-FI71325	700			SET-W-FD7130	SET-W-GD7130	SET-W-BS7025
SET-W-FI81325	800			SET-W-FD8130	SET-W-GD8130	SET-W-BS8025
SET-W-DI101325	1000			SET-W-FD10130	SET-W-GD10130	SET-W-BS10025
SET-W-FI51625	500	1600		SET-W-FD5160	SET-W-GD5160	SET-W-BS5025
SET-W-FI61625	600			SET-W-FD6160	SET-W-GD6160	SET-W-BS6025
SET-W-FI71625	700			SET-W-FD7160	SET-W-GD7160	SET-W-BS7025
SET-W-FI81625	800			SET-W-FD8160	SET-W-GD8160	SET-W-BS8025
SET-W-DI101625	1000			SET-W-FD10160	SET-W-GD10160	SET-W-BS10025
SET-W-FI51825	500	1800		SET-W-FD5180	SET-W-GD5180	SET-W-BS5025
SET-W-FI61825	600			SET-W-FD6180	SET-W-GD6180	SET-W-BS6025
SET-W-FI71825	700			SET-W-FD7180	SET-W-GD7180	SET-W-BS7025
SET-W-FI81825	800			SET-W-FD8180	SET-W-GD8180	SET-W-BS8025
SET-W-DI101825	1000			SET-W-FD10180	SET-W-GD10180	SET-W-BS10025
SET-W-FI52025	500	2000	SET-W-FD5200	SET-W-GD5200	SET-W-BS5025	
SET-W-FI62025	600		SET-W-FD6200	SET-W-GD6200	SET-W-BS6025	
SET-W-FI72025	700		SET-W-FD7200	SET-W-GD7200	SET-W-BS7025	
SET-W-FI82025	800		SET-W-FD8200	SET-W-GD8200	SET-W-BS8025	
SET-W-DI102025	1000		SET-W-FD10200	SET-W-GD10200	SET-W-BS10025	
SET-W-SI101025	300+700	1000	SET-W-FS10100	SET-W-GS10100		
SET-W-SI101325	300+700	1300	SET-W-FS10130	SET-W-GS10130		
SET-W-SI101625	300+700	1600	SET-W-FS10160	SET-W-GS10160		
SET-W-SI101825	300+700	1800	SET-W-FS10180	SET-W-GS10180		
SET-W-SI102025	300+700	2000	SET-W-FS10200	SET-W-GS10200		

WALLMOUNT ENCLOSURES SEMI MODULAR TYPE ACCESSORIES

Product Code	Dimensions			Rear Panel	Side Panel	Top Cover	Bottom Cover	Cover Profile (Vertical)	Cover Profile (Horizontal)	Interior Mounting Profile	MCB - Cover Plate		MCB Carrier						
	W(mm)	H(mm)	D(mm)								h:150 mm	h:200 mm							
SET-W-FI51025	500	1000		SET-W-SP5100		SET-W-TC5025	SET-W-BC5025		SET-W-OH0500		SET-W-OW5150	SET-W-OW5200	SET-W-MW5000						
SET-W-FI61025	600			SET-W-SP6100		SET-W-TC6025	SET-W-BC6025		SET-W-OH0600		SET-W-OW6150	SET-W-OW6200	SET-W-MW6000						
SET-W-FI71025	700			SET-W-SP7100		SET-W-SP25100	SET-W-TC7025		SET-W-BC7025		SET-W-OV01000	SET-W-OH0700	SET-W-MP01000	SET-W-OW7150	SET-W-OW7200	SET-W-MW7000			
SET-W-FI81025	800			SET-W-SP8100		SET-W-TC8025	SET-W-BC8025		SET-W-OH0800		SET-W-OW8150	SET-W-OW8200	SET-W-MW8000						
SET-W-DI101025	1000			SET-W-SP10100		SET-W-TC10025	SET-W-BC10025		SET-W-OH1000		SET-W-OW10150	SET-W-OW10200	SET-W-MW10000						
SET-W-FI51325	500	1300		SET-W-SP5130		SET-W-TC5025	SET-W-BC5025		SET-W-OH0500		SET-W-OW5150	SET-W-OW5200	SET-W-MW5000						
SET-W-FI61325	600			SET-W-SP6130		SET-W-TC6025	SET-W-BC6025		SET-W-OH0600		SET-W-OW6150	SET-W-OW6200	SET-W-MW6000						
SET-W-FI71325	700			SET-W-SP7130		SET-W-SP25130	SET-W-TC7025		SET-W-BC7025		SET-W-OV01300	SET-W-OH0700	SET-W-MP01300	SET-W-OW7150	SET-W-OW7200	SET-W-MW7000			
SET-W-FI81325	800			SET-W-SP8130		SET-W-TC8025	SET-W-BC8025		SET-W-OH0800		SET-W-OW8150	SET-W-OW8200	SET-W-MW8000						
SET-W-DI101325	1000			SET-W-SP10130		SET-W-TC10025	SET-W-BC10025		SET-W-OH1000		SET-W-OW10150	SET-W-OW10200	SET-W-MW10000						
SET-W-FI51625	500	1600		SET-W-SP5160		SET-W-TC5025	SET-W-BC5025		SET-W-OH0500		SET-W-OW5150	SET-W-OW5200	SET-W-MW5000						
SET-W-FI61625	600			SET-W-SP6160		SET-W-TC6025	SET-W-BC6025		SET-W-OH0600		SET-W-OW6150	SET-W-OW6200	SET-W-MW6000						
SET-W-FI71625	700			SET-W-SP7160		SET-W-SP25160	SET-W-TC7025		SET-W-BC7025		SET-W-OV01600	SET-W-OH0700	SET-W-MP01600	SET-W-OW7150	SET-W-OW7200	SET-W-MW7000			
SET-W-FI81625	800			SET-W-SP8160		SET-W-TC8025	SET-W-BC8025		SET-W-OH0800		SET-W-OW8150	SET-W-OW8200	SET-W-MW8000						
SET-W-DI101625	1000			SET-W-SP10160		SET-W-TC10025	SET-W-BC10025		SET-W-OH1000		SET-W-OW10150	SET-W-OW10200	SET-W-MW10000						
SET-W-FI51825	500	1800	250	SET-W-SP5180		SET-W-TC5025	SET-W-BC5025		SET-W-OH0500		SET-W-OW5150	SET-W-OW5200	SET-W-MW5000						
SET-W-FI61825	600			SET-W-SP6180		SET-W-TC6025	SET-W-BC6025		SET-W-OH0600		SET-W-OW6150	SET-W-OW6200	SET-W-MW6000						
SET-W-FI71825	700			SET-W-SP7180		SET-W-SP25180	SET-W-TC7025		SET-W-BC7025		SET-W-OV01800	SET-W-OH0700	SET-W-MP01800	SET-W-OW7150	SET-W-OW7200	SET-W-MW7000			
SET-W-FI81825	800			SET-W-SP8180		SET-W-TC8025	SET-W-BC8025		SET-W-OH0800		SET-W-OW8150	SET-W-OW8200	SET-W-MW8000						
SET-W-DI101825	1000			SET-W-SP10180		SET-W-TC10025	SET-W-BC10025		SET-W-OH1000		SET-W-OW10150	SET-W-OW10200	SET-W-MW10000						
SET-W-FI52025	500	2000		SET-W-SP5200		SET-W-TC5025	SET-W-BC5025		SET-W-OH0500		SET-W-OW5150	SET-W-OW5200	SET-W-MW5000						
SET-W-FI62025	600			SET-W-SP6200		SET-W-TC6025	SET-W-BC6025		SET-W-OH0600		SET-W-OW6150	SET-W-OW6200	SET-W-MW6000						
SET-W-FI72025	700			SET-W-SP7200		SET-W-SP25200	SET-W-TC7025		SET-W-BC7025		SET-W-OV02000	SET-W-OH0700	SET-W-MP02000	SET-W-OW7150	SET-W-OW7200	SET-W-MW7000			
SET-W-FI82025	800			SET-W-SP8200		SET-W-TC8025	SET-W-BC8025		SET-W-OH0800		SET-W-OW8150	SET-W-OW8200	SET-W-MW8000						
SET-W-DI102025	1000			SET-W-SP10200		SET-W-TC10025	SET-W-BC10025		SET-W-OH1000		SET-W-OW10150	SET-W-OW10200	SET-W-MW10000						
SET-W-SI101025	350+650	1000	SET-W-SP10100	SET-W-SP25100				SET-W-OV01000		SET-W-MP01000									
SET-W-SI1010525		1050	SET-W-SP10105	SET-W-SP25105				SET-W-OV01050		SET-W-MP01050									
SET-W-SI101325		1300	SET-W-SP10130	SET-W-SP25130				SET-W-OV01300		SET-W-MP01300									
SET-W-SI1013525		1350	SET-W-SP10135	SET-W-SP25135				SET-W-OV01350		SET-W-MP01350									
SET-W-SI101625		1600	SET-W-SP10160	SET-W-SP25160				SET-W-TC10025		SET-W-BC10025				SET-W-OV01600	SET-W-OH0650	SET-W-MP01600	SET-W-OW65150	SET-W-OW65200	SET-W-MW6500
SET-W-SI1016525		1650	SET-W-SP10165	SET-W-SP25165				SET-W-OV01650		SET-W-MP01650									
SET-W-SI101825		1800	SET-W-SP10180	SET-W-SP25180				SET-W-OV01800		SET-W-MP01800									
SET-W-SI1019525		1950	SET-W-SP10195	SET-W-SP25195				SET-W-OV01950		SET-W-MP01950									
SET-W-SI102025		2000	SET-W-SP10200	SET-W-SP25200				SET-W-OV02000		SET-W-MP02000									

FUSE BOXES



FUSE BOXES



Carcass: 0,8 mm
 Door: 1,00 mm
 Mounting Plate: 1,2 mm
 RAL7035W
 With / Without Gasket

Product Code	Dimensions			Blind Door	Glazed Door	Mounting Plate	MP usable dimensions		
	W (mm)	H (mm)	D (mm)				W (mm)	H (mm)	
SET-T-WIS304015	300	400	150	SET-T-FDSS3040	SET-T-GDS3040	SET-T-TS3040	245	325	
SET-T-WIS304018			180						
SET-T-WIS404015	400	500	150	SET-T-FDS4040	SET-T-GDS4040	SET-T-TS4040	345	425	
SET-T-WIS404018			180						
SET-T-WIS405015		600	500	150	SET-T-FDS4050	SET-T-GDS4050		SET-T-TS4050	425
SET-T-WIS405018				180					
SET-T-WIS406015	600	600	150	SET-T-FDS4060	SET-T-GDS4060	SET-T-TS4060	525		
SET-T-WIS406018			180						
SET-T-WIS505015	500	500	150	SET-T-FDS5050	SET-T-GDS5050	SET-T-TS5050	445	425	
SET-T-WIS505018			180						
SET-T-WIS506015		600	600	150	SET-T-FDS5060	SET-T-GDS5060		SET-T-TS5060	525
SET-T-WIS506018				180					
SET-T-WIS507015		700	700	150	SET-T-FDS5070	SET-T-GDS5070		SET-T-TS5070	625
SET-T-WIS507018				180					
SET-T-WIS508015	800	800	150	SET-T-FDS5080	SET-T-GDS5080	SET-T-TS5080	725		
SET-T-WIS508018			180						
SET-T-WIS606015	600	600	150	SET-T-FDS6060	SET-T-GDS6060	SET-T-TS6060	545	525	
SET-T-WIS606018			180						
SET-T-WIS608015		800	800	150	SET-T-FDS6080	SET-T-GDS6080		SET-T-TS6080	725
SET-T-WIS608018				180					

PIANO TYPE



Product Code	Dimensions		
	W (mm)	H (mm)	D (mm)
SET-C-TP601040	600	1050	400
SET-C-TP801040	800	1050	400
SET-C-TP101050	1000	1050	500
SET-C-TP121050	1200	1050	500

Product Code	Dimensions		
	W (mm)	H (mm)	D (mm)
SET-C-PP601440	600	1350	400
SET-C-PP801440	800	1350	400
SET-C-PP101450	1000	1350	500
SET-C-PP121450	1200	1350	500



RACK CABINET





RACK CABINET





No	Product Code	Dimensions			Details
		W (mm)	H (mm)	D (mm)	
1	SET-R-F-644U60	600	44U	600	Carcass :1,50 mm Door: 2,00 mm (3mm Transparent Polycarbon) Back Door:1,20 mm Side Doors:1,20 mm Top Cover: 1,20 mm Bottom Cover: 1,20 mm Espagnolettes lock
2	SET-R-F-642U60		42U		
3	SET-R-F-640U60		40U		
4	SET-R-F-636U60		36U		
5	SET-R-F-632U60		32U		
6	SET-R-F-628U60		28U		
7	SET-R-F-624U60		24U		
8	SET-R-F-644U80	600	44U	800	
9	SET-R-F-642U80		42U		
10	SET-R-F-640U80		40U		
11	SET-R-F-636U80		36U		
12	SET-R-F-632U80		32U		
13	SET-R-F-628U80		28U		
14	SET-R-F-624U80		24U		
15	SET-R-F-844U80	800	44U	800	
16	SET-R-F-842U80		42U		
17	SET-R-F-840U80		40U		
18	SET-R-F-836U80		36U		
19	SET-R-F-832U80	32U	OPTIONAL PARTS (Fan & Socket) NOT INCLUDED IN THE PRICE		
20	SET-R-F-644U10	600		44U	1000
21	SET-R-F-642U10			42U	
22	SET-R-F-640U10			40U	
23	SET-R-F-844U10	800		44U	1000
24	SET-R-F-842U10			42U	
25	SET-R-F-840U10		40U		

PAINT : RAL7035/RAL9005Tex Electrostatic Powder Coating

DOOR : Rod Latch Lock Systems
 (Front door can be open up to 105°)
 Back and Side Doors: Quarter Turn - Spring Loaded Locks and Concealed Hinge

PROTECTION : IP21 - IK10

WALLMOUNT RACK CABINET



Product Code	Dimensions			Details
	W (mm)	H (mm)	D (mm)	
SET-R-W-616U57	600	16U	570	Thickness: 1,20 mm (3 mm Transparent Polycarbon)
SET-R-W-612U57		12U		
SET-R-W-609U57		9U		
SET-R-W-607U57		7U		
SET-R-W-616U45	600	16U	450	OPTIONAL PARTS (Fan & Socket) NOT INCLUDED IN THE PRICE
SET-R-W-612U45		12U		
SET-R-W-609U45		9U		
SET-R-W-607U45		7U		

PAINT :
RAL7035W/9005Tex Electrostatic Powder Coating

DOOR :
Front Door: Rod Latch Lock Systems
Back and Side Doors: Quarter Turn Spring Loaded Locks and Concealed Hinge

PROTECTION:
IP20 - IK08

WORLD-CLASS CABINETS..



CERTIFICATES



YOUTUBE



CATALOGUE

KALTES ELEKTRİK SAN. VE TİC. LTD. ŞTİ.

İkitelli Organize Sanayi Bölgesi, Ziya Gökalp Mahallesi, Atatürk Bulvarı
No:58/1-2 İkitelli - İstanbul / TÜRKİYE

 +90 (212) 549 81 11 - 12 - 13

 info@kalteselektrik.com.tr

 export@kalteselektrik.com.tr

www.kalteselektrik.com.tr